

500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 1 of 11

Version # 06 Print Date: 07-10-2024

1. IDENTIFICATION

Product Description: ACETYL PROPIONYL FCC

CAS # 600-14-6 **FEMA Number** 2841

Other means of identification

Vigon Item # 500758

Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, LLC INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301 1-352-323-3500 OUTSIDE THE U.S.A.

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC **Address** 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, oralCategory 5Acute toxicity, dermalCategory 5Skin corrosion/irritationCategory 3Serious eye damage/eye irritationCategory 1Sensitization, skinCategory 1

Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 2 of 11

Version # 06 Print Date: 07-10-2024

Label elements



Signal word Dange

Hazard statement Highly flammable liquid and vapor. May be harmful if swallowed or in contact with skin. Causes

mild skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause

damage to organs through prolonged or repeated exposure. Harmful to aquatic life.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist/vapors. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.

Response IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take

off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire:

Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of

the substance consists of component(s) of unknown long-term hazards to the aquatic

environment.

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	<u></u>
ACETYL PROPIONYL	acetyl propanal	600-14-6	100
	Pentane-2,3-dione		
	beta,gamma- dioxopentane		
	2,3-PENTANEDIONE		

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 3 of 11

Version # 06 Print Date: 07-10-2024

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

symptoms/effects, acute and vision. Permanent eye damage including blindness could result. Mild skin irritation. May cause an

delayed allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical Not available.
attention and special treatment

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

needed

Suitable extinguishing media Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from Fire may produce irritating, corrosive and/or toxic gases.

the chemical

Special protective equipmentFirefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective

clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and **equipment/instructions** consider the hazards of other involved materials. Move containers from fire area if you can do so

consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 4 of 11

Version # 06 Print Date: 07-10-2024

Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended. Chemical resistant gloves.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal

 $hygiene\ measures,\ such\ as\ washing\ after\ handling\ the\ material\ and\ before\ eating,\ drinking,\ and/or$

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 5 of 11

Version # 06 Print Date: 07-10-2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling 226.4 °F (108 °C)

range

Flash point 66.0 °F (18.9 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 20 mm Hg at 20 °C

Vapor density 3.5

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 0.96 g/cm3 estimated at 25 °C

Explosive properties Not explosive.

Flammability class Flammable IB estimated

Molecular formulaC5H8O2Molecular weight100.12 g/molOxidizing propertiesNot oxidizing.Specific gravity0.96 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 6 of 11

Version # 06 Print Date: 07-10-2024

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Knowledge about health hazard is incomplete.

Skin contact May be harmful in contact with skin. Causes mild skin irritation. May cause an allergic skin

reaction.

Eye contact Causes serious eye damage. Causes mild eye irritation.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Mild skin irritation. May cause an

allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be harmful in contact with skin. May be harmful if swallowed.

Product Species Test Results

ACETYL PROPIONYL (CAS 600-14-6)

Acute

Dermal

LD50 Rabbit > 2500 mg/kg

Oral

LD50 Rat 3000 mg/kg

Skin corrosion/irritation Causes mild skin irritation.

Skin - rabbit - Skin irritant - 24 h Remarks: Moderate skin irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 7 of 11

Version # 06 Print Date: 07-10-2024

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Chronic effects May cause damage to organs through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life.

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 1224

UN proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 8 of 11

Version # 06 Print Date: 07-10-2024

ADR

UN number 1224

UN proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

RID

UN number 1224

UN proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Transport hazard class(es) 3
Subsidiary class(es) Packing Group II
Environmental Hazards No
Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number 1224

Proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Hazard class 3
Packing group II
Environmental hazards

Marine pollutantNoPackaging exceptions150Packaging bulk242Labels required3

DOT

NON-BULK

UN number 1224

Proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Hazard class 3
Packing group II
Environmental hazards

Marine pollutantNoPackaging exceptions150Packaging non bulk202Labels required3

IATA

UN number 1224

UN proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Transport hazard class(es) 3



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 9 of 11

Version # 06 Print Date: 07-10-2024

Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

IMDG

UN number 1224

UN proper shipping name KETONES, LIQUID, N.O.S. (ACETYL PROPIONYL)

Transport hazard class(es) 3
Subsidiary class(es) Packing group ||

Environmental hazards

Marine pollutant No Labels required 3

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



15. REGULATORY INFORMATION

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 10 of 11

Version # 06 Print Date: 07-10-2024

SARA 311/312 Hazardous

,

chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

Yes

Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

Hazard not otherwise classified (HNOC)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ACETYL PROPIONYL (CAS 600-14-6) High priority

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 09-11-2013

 Revision date
 07-10-2024

Version # 06

HMIS® ratings Health: 3*

Flammability: 3 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.



500758 ACETYL PROPIONYL FCC

Revision Date: 07-10-2024 Page 11 of 11

Version # 06 Print Date: 07-10-2024

Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.