

# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 1 of 12

Version # 08 Print Date: 02-07-2024

1. IDENTIFICATION

Product Description: BENZALDEHYDE

**CAS #** 100-52-7 **FEMA Number** 2127

Other means of identification

**Vigon Item #** 500025

Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

**Recommended restrictions** For Manufacturing Use Only

Company 24 Hour Emergency Response Information

Vigon International, LLC INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301 1-352-323-3500 OUTSIDE THE U.S.A.

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC

Address 127 Airport Road

E. Stroudsburg, PA 18301

**United States** 

**Telephone** For information call: 570-476-6300

Website www.vigon.com

**E-mail** regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Flammable liquids Category 4

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Acute toxicity, inhalation

Category 4

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2A

Sensitization, skin

Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 2 of 12

Version # 08 Print Date: 02-07-2024

#### Label elements



Signal word Warning

Hazard statement Combustible liquid. Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation.

Causes skin and eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

**Response** IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN:

Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use

appropriate media to extinguish. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

After prolonged contact with highly porous materials, this product may spontaneously combust.

Supplemental information None.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Chemical name	Common name and synonyms	CAS number	<u></u>
BENZALDEHYDE	PHENYL METHANAL	100-52-7	100
	BENZENE METHYLAL		
	BENZENE CARBONAL		
	BENZENE CARBOXALDEHYDE		
	Benzoyl hydride		

#### 4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.



### 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 3 of 12

Version # 08 Print Date: 02-07-2024

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an

allergic skin reaction. Dermatitis. Rash. Not available.

needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods
General fire hazards

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases. Porous material such as rags, paper,

insulation, or organic clay may spontaneously combust when wetted with this material.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Use water spray to cool unopened containers.

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 4 of 12

Version # 08 Print Date: 02-07-2024

# Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Environmental precautions**

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Contaminated rags and cloths must be put in fireproof containers for disposal. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Do not store in direct sunlight. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Keep under a nitrogen blanket.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Material	Туре	Value
BENZALDEHYDE (CAS 100-52-7)	STEL	17.4 mg/m3
		4 ppm
	TWA	8.7 mg/m3
		2 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 5 of 12

Version # 08 Print Date: 02-07-2024

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended. Chemical resistant gloves.

Respiratory protection Respiratory protection not required. Chemical respirator with organic vapor cartridge and full

facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke. Keep away from food and drink. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point -14.8 °F (-26 °C)

Initial boiling point and boiling 354.2 °F (179 °C)

range

` ,

Flash point 145.0 °F (62.8 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 1 mm Hg at 25 °C

Vapor density 3.66

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble
Partition coefficient 1.48

(n-octanol/water)

Auto-ignition temperature 377 °F (191.67 °C)

Decomposition temperature Not available.

Viscosity Not available.



### 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 6 of 12

Version # 08 Print Date: 02-07-2024

Other information

**Density** 1.05 g/cm3 estimated at 15 °C **Dynamic viscosity** 1.39 mPa.s (77 °F (25 °C))

**Explosive properties** Not explosive.

Kinematic viscosity 1.324 mm²/s estimated

Molecular formulaC7-H6-OMolecular weight106.12 g/molOxidizing propertiesNot oxidizing.Specific gravity1.04 at 25 °C

Surface tension 40 mN/m (68 °F (20 °C))

### 10. STABILITY AND REACTIVITY

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when

wetted with this material.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Inhalation** Harmful if inhaled.

**Skin contact** Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an

allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if inhaled. Harmful in contact with skin. Harmful if

swallowed.

Product Species Test Results

BENZALDEHYDE (CAS 100-52-7)

Acute Dermal

LD50 Rabbit > 1250 mg/kg



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 7 of 12

Version # 08 Print Date: 02-07-2024

Product	Species	Test Results	
Inhalation			
LC50	Rat	1.5 mg/l, 4	
Oral			
LD50	Rat	1300 mg/kg	
Skin corrosion/irritation	Causes skin irritation. Humans: No skin irritation @ 4%		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.		
Skin sensitization	May cause an allergic skin reaction. Humans: No senitizing effect @ 4%		
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**Toxic to aquatic life with long lasting effects.
Readily biodegradabilty>90 % BSB/CSB

Product		Species	Test Results	
BENZALDEHYDE (CA	AS 100-52-7)			
Other	EC50	Activated sludge, industrial	759.3 mg/l	
Aquatic				
Algae	EC50	Algae	24.9 mg/l, 96 hours	
Crustacea	EC50	Daphnia magna	50 mg/l, 24 hours	
Fish	LD50	Pimephales promelas	7.61 mg/l, 96 hours	



### 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 8 of 12

Version # 08 Print Date: 02-07-2024

 Product
 Species
 Test Results

 Acute
 Fish
 LC50
 Rainbow trout,donaldson trout (Oncorhynchus mykiss)
 1.269 mg/l, 96 hours

Persistence and degradability Readily biodegradable

> 90%, BSB/CSB

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1.48

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions**Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. TRANSPORT INFORMATION

**ADN** 

UN number 1990

UN proper shipping name BENZALDEHYDE

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

ADR

UN number 1990

UN proper shipping name BENZALDEHYDE

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards Yes
Labels required 9

RID

UN number 1990



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 9 of 12

Version # 08 Print Date: 02-07-2024

UN proper shipping name BENZALDEHYDE

Transport hazard class(es) 9
Subsidiary class(es) Packing Group III
Environmental Hazards Yes
Labels required 9

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT BULK

UN number 1990

Proper shipping name BENZALDEHYDE

Hazard class 9
Packing group III

**Environmental hazards** 

Marine pollutantYesPackaging exceptions155Packaging bulk241Labels required9

DOT

**NON-BULK** 

UN number 1990

Proper shipping name BENZALDEHYDE

Hazard class 9
Packing group III

**Environmental hazards** 

Marine pollutantNoPackaging exceptions155Packaging non bulk203Labels required9

**IATA** 

UN number 1990

UN proper shipping name BENZALDEHYDE

Transport hazard class(es) 9
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 9

**IMDG** 

UN number 1990

UN proper shipping name BENZALDEHYDE

Transport hazard class(es) 9
Subsidiary class(es) Packing group III



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 10 of 12

Version # 08 Print Date: 02-07-2024


#### **Environmental hazards**

Marine pollutant Yes Labels required 9

Transport in bulk according Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



### Marine pollutant



### 15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 11 of 12

Version # 08 Print Date: 02-07-2024

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

BENZALDEHYDE (CAS 100-52-7)

50 %WV

8256

**DEA Exempt Chemical Mixtures Code Number** 

BENZALDEHYDE (CAS 100-52-7)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

BENZALDEHYDE (CAS 100-52-7) High priority

Food and Drug

Controlled substance

Administration (FDA)

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 03-09-2013

 Revision date
 02-07-2024

Version # 08

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0



# 500025 BENZALDEHYDE

Revision Date: 02-07-2024 Page 12 of 12

Version # 08 Print Date: 02-07-2024

#### Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.