

Revision Date: 11-19-2020 Version # 01 Page 1 of 10 Print Date: 11-19-2020

1. IDENTIFICATION			
Product Description:	DECANAL NATURAL 80% EX ORANGE		
CAS #	8008-57-9		
FEMA Number	2825		
Other means of identification Vigon Item #	508674		
Recommended use	Concentrated aromatic and compounds according to leg	•	nich may be used in flavor and fragrance MA GRAS/FDA guidelines.
Recommended restrictions	For Manufacturing Use Only	/	
<u>Company</u>		24 Hour Emergenc	y Response Information
Vigon International, Inc.		INFOTRAC (ACCT	# 78928);
127 Airport Road		1-800-535-5053 W	
E. Stroudsburg, PA 18301		1-352-323-3500 O	UTSIDE THE U.S.A.
For information call: 570-476-6300			
Web Site: www.vigon.com			
Manufacturer/Importer/Supplier/Dist	tributor information		
Manufacturer			
Company name Address	Vigon International, Inc. 127 Airport Road E. Stroudsburg, PA 18301 United States		
Telephone Website E-mail Emergency phone number	For information call: www.vigon.com regulatory@vigon.com INFOTRAC 1-800-535-5053 1-352-323-3500	570-476-6300 (ACCT# 78928); WITHIN THE U.S OUTSIDE THE U	
2. HAZARD(S) IDENTIFICAT	ION		
Physical hazards	Flammable liquids		Category 3
Health hazards	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irr	itation	Category 2
	Sensitization, skin		Category 1
	Specific target organ toxicity exposure	γ, single	Category 2
	Specific target organ toxicity exposure	/, single	Category 3 respiratory tract irritation
	Specific target organ toxicity exposure	γ, single	Category 3 narcotic effects
	Aspiration hazard		Category 1



Revision Date: 11-19-2020	Page 2 of 10
Version # 01	Print Date: 11-19-2020

Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
Label elements		
	$\land \land \land$	
Signal word	Danger	
Hazard statement		
H227	Combustible liquid.	
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effect	ts.
Precautionary statement		
Prevention		
P210	Keep away from heat, hot surfaces, sparks, op	en flames and other ignition sources. No smoking.
P272	Contaminated work clothing should not be allow	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye	protection/face protection.
Response		
P301 + P310	IF SWALLOWED: Immediately call a POISON	CENTER/doctor.
P331	Do NOT induce vomiting.	
P302 + P352	IF ON SKIN: Wash with plenty of water.	
P333 + P313	If skin irritation or rash occurs: Get medical adv	vice/attention.
P362 + P364	Take off contaminated clothing and wash it bef	fore reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.	
P391	Collect spillage.	
Storage		
P405	Store locked up.	
Disposal		
P501	Dispose of contents/container in accordance w	vith local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	After prolonged contact with highly porous mate	erials, this product may spontaneously combust.
Supplemental information	100% of the substance consists of component(substance consists of component(s) of unknow consists of component(s) of unknown acute inh	vn acute dermal toxicity. 100% of the substance

Substances



Revision Date: 11-19-2020 Version # 01 Page 3 of 10 Print Date: 11-19-2020

Chemical name		CAS number	%
ORANGE OIL	Common name and synonyms	8008-57-9	100
4. FIRST-AID MEASURES			
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.		
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.		
Eye contact	Remove contact lenses, if present and easy persists. Promptly wash eyes with plenty of		ritation develops and
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.		
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation. May cause an allergic skin reaction. Dermatitis. Rash.		
Indication of immediate medical attention and special treatment needed	Not available.		
General information	Ensure that medical personnel are aware of protect themselves. Show this safety data sh		•

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases. Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective	Eli
equipment and emergency	Ke
procedures	we

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.



Revision Date: 11-19-2020	Page 4 of 10	
Version # 01	Print Date: 11-19-2020	
Methods and materials for containment and cleaning up	Collect and dispose of spillage as indicated in section 13 of the SDS.	
	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.	
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.	

7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Contaminated rags and cloths must be put in fireproof containers for disposal. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Do not store in direct sunlight. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Keep under a nitrogen blanket.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.
Individual protection measures, su Eye/face protection	ch as personal protective equipment Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection Hand protection	Chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.



Revision Date: 11-19-2020 Version # 01 Page 5 of 10 Print Date: 11-19-2020

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	180.0 °F (82.2 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	ive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.84 g/cm3 estimated at 25 °C
Explosive properties	Not explosive.
Molecular formula	UVCB
	Not applicable



Revision Date: 11-19-2020	Page 6 of 10	
Version # 01	Print Date: 11-19-2020	
Oxidizing properties	Not oxidizing.	
Specific gravity	0.85 - 0.85 at 25 °C 0.83 at 25 °C	
10. STABILITY AND REA	ACTIVITY	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.	

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Knowledge about health hazard is incomplete.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	Knowledge about health hazard is incomplete.	
Ingestion	Knowledge about health hazard is incomplete. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.	
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. May cause an allergic skin reaction. Dermatitis. Rash.	
Information on toxicological effects		
Acute toxicity	May be fatal if swallowed and enters airways.	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	
Respiratory or skin sensitization		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Not listed.		
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1053)	
Not listed.		
	am (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	



Revision Date: 11-19-2020	Page 7 of 10
Version # 01	Print Date: 11-19-2020

12. ECOLOGICAL INFORMATION	
Aspiration hazard	May be fatal if swallowed and enters airways.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.

Ecotoxicity	Very toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

	UN number	3082
	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ORANGE OIL)
	Transport hazard class(es)	9
	Subsidiary class(es)	-
	Packing group	III
	Environmental hazards	Yes
	Labels required	9
AD	R	
	UN number	3082
	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ORANGE OIL)
	Transport hazard class(es)	9
	Subsidiary class(es)	-
	Packing group	III
	Environmental hazards	Yes
	Labels required	9




Revision Date: 11-19-2020 Version # 01 Page 8 of 10 Print Date: 11-19-2020

RID

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ORANGE OIL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	9
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
DOT	
BULK	
UN number	NA1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (ORANGE OIL)
Hazard class	Combustible liq
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Packaging exceptions	150
Packaging bulk	241
Labels required	None
DOT	
NON-BULK	
Not regulated as dangerous go	oods.
IATA	
Not regulated as dangerous go	oods.
IMDG	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ORANGE OIL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according	Not applicable.
to Annex II of MARPOL	
73/78 and the IBC Code	



Revision Date: 11-19-2020 Version # 01 Page 9 of 10 Print Date: 11-19-2020



15. REGULATORY INFORMATION

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control Act (TSCA)		
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated.		
CERCLA Hazardous Substan	ce List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency releas	e notification	
Not regulated.		
	Substances (29 CFR 1910.1001-1053)	
Not listed.		
Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard	Flammable (gases, aerosols, liquids, or solids)	
categories	Respiratory or skin sensitization	
	Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		



Revision Date: 11-19-2020 Version # 01 Page 10 of 10 Print Date: 11-19-2020

Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION 11-19-2020 Issue date **Revision date** 11-19-2020 Version # 01 **HMIS®** ratings Health: 2* Flammability: 2 Physical hazard: 0 Disclaimer Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or guality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.