

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 1 of 11

Version # 04

Print Date: 07-09-2024

1. IDENTIFICATION

Product Description: ETHYL ACETATE FCC
CAS # 141-78-6
FEMA Number 2414
Other means of identification
Vigon Item # 500125
Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.
Recommended restrictions For Manufacturing Use Only

Company

Vigon International, LLC
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC
Address 127 Airport Road
E. Stroudsburg, PA 18301
United States
Telephone For information call: 570-476-6300
Website www.vigon.com
E-mail regulatory@vigon.com
Emergency phone number INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Flammable liquids Category 2
Health hazards Acute toxicity, oral Category 5
Serious eye damage/eye irritation Category 2A
Specific target organ toxicity, single exposure Category 3 narcotic effects
Environmental hazards Not classified.

Label elements



Signal word

Danger

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 2 of 11

Version # 04

Print Date: 07-09-2024

Hazard statement	Highly flammable liquid and vapor. May be harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
ETHYL ACETATE	Acetic acid ethyl ester ETHYL ESTER OF ACETIC ACID VINEGAR NAPHTHA Acetic ether Ethyl ethanoate Acetoxyethane	141-78-6	100

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 3 of 11

Version # 04

Print Date: 07-09-2024

Most important symptoms/effects, acute and delayed

May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Not available.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO₂, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.



SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 4 of 11

Version # 04

Print Date: 07-09-2024

Environmental precautions Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Material	Type	Value
ETHYL ACETATE (CAS 141-78-6)	PEL	1400 mg/m3
		400 ppm

US. ACGIH Threshold Limit Values (TLV)

Material	Type	Value
ETHYL ACETATE (CAS 141-78-6)	TWA	400 ppm

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Material	Type	Value
ETHYL ACETATE (CAS 141-78-6)	IDLH	2 %
		2000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Material	Type	Value
ETHYL ACETATE (CAS 141-78-6)	TWA	1400 mg/m3
		400 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Not available.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 5 of 11

Version # 04

Print Date: 07-09-2024

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-117.4 °F (-83 °C)
Initial boiling point and boiling range	170.78 °F (77.1 °C)
Flash point	24.0 °F (-4.4 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	12.43 kPa (77 °F (25 °C))
Vapor density	3.04
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	0.73
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.90 g/cm ³ estimated at 20 °C
Dynamic viscosity	0.44 mPa.s (77 °F (25 °C))
Explosive properties	Not explosive.
Flammability class	Flammable IB estimated
Kinematic viscosity	0.4879 mm ² /s estimated
Molecular formula	C ₄ H ₈ O ₂
Molecular weight	88.11 g/mol

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 6 of 11

Version # 04

Print Date: 07-09-2024

Oxidizing properties	Not oxidizing.
Specific gravity	0.9 at 25 °C
Surface tension	24 mN/m (68 °F (20 °C))

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	Knowledge about health hazard is incomplete.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
---	--

Information on toxicological effects

Acute toxicity	In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. May be harmful if swallowed.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.
Skin sensitization	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 7 of 11

Version # 04

Print Date: 07-09-2024

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
ETHYL ACETATE (CAS 141-78-6)		
<i>Aquatic</i>		
<i>Acute</i>		
Fish	LC50 Indian catfish (<i>Heteropneustes fossilis</i>)	200.32 - 225.42 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)
0.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

US RCRA Hazardous Waste U List: Reference

ETHYL ACETATE (CAS 141-78-6) U112

Waste from residues / unused products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 8 of 11

Version # 04

Print Date: 07-09-2024

14. TRANSPORT INFORMATION

ADN

UN number	1173
UN proper shipping name	ETHYL ACETATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	II
Environmental hazards	No
Labels required	3

ADR

UN number	1173
UN proper shipping name	ETHYL ACETATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	II
Environmental hazards	No
Labels required	3

RID

UN number	1173
UN proper shipping name	ETHYL ACETATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing Group	II
Environmental Hazards	No
Labels required	3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	1173
Proper shipping name	Ethyl acetate
Hazard class	3
Packing group	II
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging bulk	242
Reportable quantity	5000
Labels required	3

DOT

NON-BULK

UN number	1173
Proper shipping name	Ethyl acetate
Hazard class	3
Packing group	II

SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 9 of 11

Version # 04

Print Date: 07-09-2024

Environmental hazards

Marine pollutant	No
Packaging exceptions	150
Packaging non bulk	202
Reportable quantity	5000
Labels required	3

IATA

UN number	1173
UN proper shipping name	Ethyl acetate
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	II
Environmental hazards	No
Labels required	3

IMDG

UN number	1173
UN proper shipping name	ETHYL ACETATE
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	II
Environmental hazards	
Marine pollutant	No
Labels required	3
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.



SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 10 of 11

Version # 04

Print Date: 07-09-2024

CERCLA Hazardous Substance List (40 CFR 302.4)

ETHYL ACETATE (CAS 141-78-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Flammable (gases, aerosols, liquids, or solids)
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)
Hazard not otherwise classified (HNOC)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHYL ACETATE (CAS 141-78-6) Low priority

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 09-26-2014
Revision date 07-09-2024
Version # 04
HMIS® ratings Health: 2*
Flammability: 3
Physical hazard: 0



SAFETY DATA SHEET

500125 ETHYL ACETATE FCC

Revision Date: 07-09-2024

Page 11 of 11

Version # 04

Print Date: 07-09-2024

List of abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstract Service.
IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MARPOL: International Convention for the Prevention of Pollution from Ships.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TWA: Time Weighted Average.

Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.