

SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 1 of 10

Version # 02

Print Date: 06-04-2020

1. IDENTIFICATION

Product Description:	FIXOLIDE
CAS #	1506-02-1
FEMA Number	4879
Other means of identification	
Vigon Item #	500888
Recommended use	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.
Recommended restrictions	For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	Vigon International, Inc.
Address	127 Airport Road E. Stroudsburg, PA 18301 United States
Telephone	For information call: 570-476-6300
Website	www.vigon.com
E-mail	regulatory@vigon.com
Emergency phone number	INFOTRAC (ACCT# 78928); 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

Label elements



Signal word

Warning

SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 2 of 10

Version # 02

Print Date: 06-04-2020

Hazard statement	Harmful if swallowed. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment.
Response	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	WARNING! May form combustible dust concentrations in air. Avoid breathing dust.
Supplemental information	100% of the substance consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
1-(3,5,5,6,8,8-hexamethyl-6,7-dihydronaphthalen-2-yl)ethanone	2'-acetonaphthone, 5',6',7',8'-tetrahydro-3',5',5',6',8',8'-hexamethyl-6-acetyl-1,1,2,4,4,7-hexamethyl tetralin 7-acetyl-1,1,3,4,4,6-hexamethyl tetrahydronaphthalene ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthalenyl)-naphthalene, 7-acetyl-1,1,3,4,4,6-hexamethyl-1,2,3,4-tetrahydro-	1506-02-1	100

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Not available.



SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Version # 02

Page 3 of 10

Print Date: 06-04-2020

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO₂, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up

Sweep up and place in a clearly labeled container for chemical waste. Wash contaminated area with water. Collect and dispose of spillage as indicated in section 13 of the SDS. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Use only non-sparking tools. Avoid the generation of dusts during clean-up.

Environmental precautions

Never return spills in original containers for re-use.

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.



SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 4 of 10

Version # 02

Print Date: 06-04-2020

7. HANDLING AND STORAGE

Precautions for safe handling	Take precautionary measures against static discharges when there is a risk of dust explosion. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Do not handle or store near an open flame, heat or other sources of ignition. Assume that this material is capable of producing a dust explosion if ignited as a dust cloud. Take precautionary measures against static discharges. Avoid breathing vapor. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Chemical resistant gloves.
Other	Not available.
Respiratory protection	Dust mask.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Powder/Crystal.
Form	Powder. Crystalline powder.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.

SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Version # 02

Page 5 of 10

Print Date: 06-04-2020

pH	Not available.
Melting point/freezing point	127.4 °F (53 °C)
Initial boiling point and boiling range	739.4 °F (393 °C)
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.000007 kPa (77 °F (25 °C))
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	960.00 kg/m ³ at 70 °C
Explosive properties	Not explosive.
Molecular formula	C ₁₈ H ₂₆ O
Molecular weight	258.4 g/mol
	258.4 g/mol
Oxidizing properties	Not oxidizing.

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, sparks and open flame. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Minimize dust generation and accumulation.
Incompatible materials	Strong oxidizing agents.



SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 6 of 10

Version # 02

Print Date: 06-04-2020

Hazardous decomposition products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Irritating to respiratory system.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity

Harmful if swallowed.

Product

Species

Test Results

1-(3,5,5,6,8,8-hexamethyl-6,7-dihydronaphthalen-2-yl)ethanone (CAS 1506-02-1)

Acute

Dermal

LD50

Rabbit

7940 mg/kg

Oral

LD50

Rat

964 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 7 of 10

Version # 02

Print Date: 06-04-2020

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Very toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

UN number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(3,5,5,6,8,8-hexamethyl-6,7- dihydronaphthalen-2-yl)ethanone)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

ADR

UN number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(3,5,5,6,8,8-hexamethyl-6,7- dihydronaphthalen-2-yl)ethanone)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

RID

UN number	3077
------------------	------

SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 8 of 10

Version # 02

Print Date: 06-04-2020

UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(3,5,5,6,8,8-hexamethyl-6,7- dihydronaphthalen-2-yl)ethanone)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	9
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(3,5,5,6,8,8-hexamethyl-6,7- dihydronaphthalen-2-yl)ethanone)
Hazard class	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-(3,5,5,6,8,8-hexamethyl-6,7- dihydronaphthalen-2-yl)ethanone)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SAFETY DATA SHEET

500888 FIXOLIDE


Revision Date: 06-04-2020

Page 9 of 10


Version # 02

Print Date: 06-04-2020

ADN; ADR; DOT BULK; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Combustible dust
Acute toxicity (any route of exposure)

SARA 313 (TRI reporting)

Not regulated.



SAFETY DATA SHEET

500888 FIXOLIDE

Revision Date: 06-04-2020

Page 10 of 10

Version # 02

Print Date: 06-04-2020

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 10-22-2018

Revision date 06-04-2020

Version # 02

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

Disclaimer Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information This document has undergone significant changes and should be reviewed in its entirety.