

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 1 of 9

Version # 03

Print Date: 07-30-2024

#### 1. IDENTIFICATION

**Product Description:** HEXENYL CIS-3 BUTYRATE  
**CAS #** 16491-36-4  
**FEMA Number** 3402  
**Other means of identification**  
**Vigon Item #** 507252  
**Recommended use** Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.  
**Recommended restrictions** For Manufacturing Use Only

Company

Vigon International, LLC  
127 Airport Road  
E. Stroudsburg, PA 18301  
For information call: 570-476-6300  
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);  
1-800-535-5053 WITHIN THE U.S.A.  
1-352-323-3500 OUTSIDE THE U.S.A.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name** Vigon International, LLC  
**Address** 127 Airport Road  
E. Stroudsburg, PA 18301  
United States  
**Telephone** For information call: 570-476-6300  
**Website** www.vigon.com  
**E-mail** regulatory@vigon.com  
**Emergency phone number** INFOTRAC (ACCT# 78928);  
1-800-535-5053 WITHIN THE U.S.A.  
1-352-323-3500 OUTSIDE THE U.S.A.

#### 2. HAZARD(S) IDENTIFICATION

**Physical hazards** Flammable liquids Category 4  
**Health hazards** Skin corrosion/irritation Category 2  
Serious eye damage/eye irritation Category 2A  
Specific target organ toxicity, single exposure Category 3 respiratory tract irritation  
**Environmental hazards** Not classified.

**Label elements**



Signal word

Warning

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 2 of 9

Version # 03

Print Date: 07-30-2024

|  |  |
|--|--|
| <b>Hazard statement</b>                          | Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.   |
| <b>Precautionary statement</b>                   |  |
| <b>Prevention</b>                                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  |
| <b>Response</b>                                  | IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. |
| <b>Storage</b>                                   | Store in a well-ventilated place. Keep container tightly closed. Store locked up.  |
| <b>Disposal</b>                                  | Dispose of contents/container in accordance with local/regional/national/international regulations.  |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.  |
| <b>Supplemental information</b>                  | 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.  |

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

| Chemical name          | Common name and synonyms   | CAS number | %   |
|------------------------|--|------------|-----|
| HEXENYL CIS-3 BUTYRATE | [(Z)- hex-3-enyl] butanoate<br>(Z)-Hex-3-enyl butyrate<br>(3Z)- hex-3-en-1-yl butanoate<br>cis-3- hexen-1-yl butyrate<br>cis-3- hexenyl N-butyrate | 16491-36-4 | 100 |

### 4. FIRST-AID MEASURES

|   |   |
|---|---|
| <b>Inhalation</b>   | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>                                       | Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.  |
| <b>Eye contact</b>  | Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.  |
| <b>Ingestion</b>  | Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. |
| <b>Most important symptoms/effects, acute and delayed</b> | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.  |

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 3 of 9

Version # 03

Print Date: 07-30-2024

**Indication of immediate medical attention and special treatment needed**

Not available.

**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Water spray, fog, CO<sub>2</sub>, dry chemical, or alcohol resistant foam.

**Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical**

Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment and precautions for firefighters**

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

**Fire fighting equipment/instructions**

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

**Specific methods**

Use water spray to cool unopened containers.

**General fire hazards**

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

**Methods and materials for containment and cleaning up**

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions**

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 4 of 9

Version # 03

Print Date: 07-30-2024

#### 7. HANDLING AND STORAGE

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.   |

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

|  |  |
|--|--|
| <b>Occupational exposure limits</b>  | This substance has no PEL, TLV, or other recommended exposure limit.   |
| <b>Biological limit values</b>   | No biological exposure limits noted for the ingredient(s).   |
| <b>Appropriate engineering controls</b>                                      | Use explosion-proof ventilation equipment to stay below exposure limits.   |
| <b>Individual protection measures, such as personal protective equipment</b> |  |
| <b>Eye/face protection</b>   | Wear safety glasses with side shields (or goggles).  |
| <b>Skin protection</b>   |  |
| <b>Hand protection</b>   | Chemical resistant gloves.   |
| <b>Other</b>   | Not available.   |
| <b>Respiratory protection</b>  | Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.   |
| <b>Thermal hazards</b>   | Wear appropriate thermal protective clothing, when necessary.  |
| <b>General hygiene considerations</b>  | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |   |
|---|---|
| <b>Appearance</b>                                   | Refer to Spec Sheet                     |
| <b>Physical state</b>                               | Liquid.                                 |
| <b>Form</b>   | Liquid.                                 |
| <b>Color</b>  | Refer to Spec Sheet                     |
| <b>Odor</b>   | Characteristic.                         |
| <b>Odor threshold</b>                               | Not available.                          |
| <b>pH</b>   | Not available.                          |
| <b>Melting point/freezing point</b>                 | Not available.                          |
| <b>Initial boiling point and boiling range</b>      | > 375.8 - < 377.6 °F (> 191 - < 192 °C) |
| <b>Flash point</b>                                  | 174.0 °F (78.9 °C) Closed Cup           |
| <b>Evaporation rate</b>                             | Not available.                          |
| <b>Flammability (solid, gas)</b>                    | Not applicable.                         |
| <b>Upper/lower flammability or explosive limits</b> |   |
| <b>Explosive limit - lower (%)</b>                  | Not available.                          |
| <b>Explosive limit - upper (%)</b>                  | Not available.                          |

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 5 of 9

Version # 03

Print Date: 07-30-2024

|  |  |
|--|--|
| <b>Vapor pressure</b>                          | 0.14 mm Hg at 25 °C                            |
| <b>Vapor density</b>                           | 5.9  |
| <b>Relative density</b>                        | Not available.                                 |
| <b>Solubility(ies)</b>                         |  |
| <b>Solubility (water)</b>                      | Insoluble                                      |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.                                 |
| <b>Auto-ignition temperature</b>               | Not available.                                 |
| <b>Decomposition temperature</b>               | Not available.                                 |
| <b>Viscosity</b>                               | Not available.                                 |
| <b>Other information</b>                       |  |
| <b>Density</b>                                 | 0.88 g/cm <sup>3</sup> estimated at 25 °C      |
| <b>Explosive properties</b>                    | Not explosive.                                 |
| <b>Flammability class</b>                      | Combustible IIIA estimated                     |
| <b>Molecular formula</b>                       | C <sub>10</sub> H <sub>18</sub> O <sub>2</sub> |
| <b>Molecular weight</b>                        | 170.25 g/mol                                   |
| <b>Oxidizing properties</b>                    | Not oxidizing.                                 |
| <b>Specific gravity</b>                        | 0.88 at 25 °C                                  |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products if stored and handled as indicated.  |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | May cause irritation to the respiratory system.            |
| <b>Skin contact</b> | Causes skin irritation.                                    |
| <b>Eye contact</b>  | Causes serious eye irritation. Causes mild eye irritation. |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.                     |

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.

### Information on toxicological effects

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 6 of 9

Version # 03

Print Date: 07-30-2024

**Acute toxicity** Not known.

| Product                                 | Species | Test Results |
|---|---------|--------------|
| HEXENYL CIS-3 BUTYRATE (CAS 16491-36-4) |         |              |
| <b>Acute</b>                            |         |              |
| <i>Dermal</i>                           |         |              |
| LD50                                    | Rabbit  | > 5000 mg/kg |
| <i>Oral</i>                             |         |              |
| LD50                                    | Rat     | > 5000 mg/kg |

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity**

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this substance.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 7 of 9

Version # 03

Print Date: 07-30-2024

#### 13. DISPOSAL CONSIDERATIONS

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>                  | Not established.  |
| <b>Waste from residues / unused products</b> | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).   |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.  |

#### 14. TRANSPORT INFORMATION

##### ADN

Not regulated as dangerous goods.

##### ADR

Not regulated as dangerous goods.

##### RID

Not regulated as dangerous goods.

##### DOT

##### BULK

|                              |   |
|------------------------------|---|
| <b>UN number</b>             | NA1993  |
| <b>Proper shipping name</b>  | COMBUSTIBLE LIQUID, N.O.S. (HEXENYL CIS-3 BUTYRATE) |
| <b>Hazard class</b>          | Combustible liq                                     |
| <b>Packing group</b>         | III   |
| <b>Environmental hazards</b> |   |
| <b>Marine pollutant</b>      | No  |
| <b>Packaging exceptions</b>  | 150   |
| <b>Packaging bulk</b>        | 241   |
| <b>Labels required</b>       | 3   |

##### DOT

##### NON-BULK

Not regulated as dangerous goods.

##### IATA

Not regulated as dangerous goods.

##### IMDG

Not regulated as dangerous goods.

#### 15. REGULATORY INFORMATION

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)**



# SAFETY DATA SHEET

## 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 8 of 9

Version # 03

Print Date: 07-30-2024

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical**      Yes

**Classified hazard categories**      Flammable (gases, aerosols, liquids, or solids)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)**      Not regulated.

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

|                      |  |
|----------------------|--|
| <b>Issue date</b>    | 11-25-2015   |
| <b>Revision date</b> | 07-30-2024   |
| <b>Version #</b>     | 03   |
| <b>HMIS® ratings</b> | Health: 2<br>Flammability: 2<br>Physical hazard: 0 |





## SAFETY DATA SHEET

### 507252 HEXENYL CIS-3 BUTYRATE

Revision Date: 07-30-2024

Page 9 of 9

Version # 03

Print Date: 07-30-2024

#### List of abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists.  
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
CAS: Chemical Abstract Service.  
IARC: International Agency for Research on Cancer.  
IATA: International Air Transport Association.  
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.  
IMDG: International Maritime Dangerous Goods.  
MARPOL: International Convention for the Prevention of Pollution from Ships.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
STEL: Short term exposure limit.  
TWA: Time Weighted Average.

#### Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

#### Revision information

This document has undergone significant changes and should be reviewed in its entirety.