

501629 HEXYL FORMATE

 Revision Date: 10-08-2019
 Page 1 of 9

 Version # 02
 Print Date: 10-08-2019

| 1. IDENTIFICATION | | |
|---|--|---|
| Product Description: | HEXYL FORMATE | |
| CAS # | 629-33-4 | |
| FEMA Number | 2570 | |
| Other means of identification Vigon Item # | 501629 | |
| Recommended use | | l flavor ingredient which may be used in flavor and fragrance gal and IFRA or FEMA GRAS/FDA guidelines. |
| Recommended restrictions | For Manufacturing Use Only | |
| <u>Company</u> | | 24 Hour Emergency Response Information |
| Vigon International, Inc. | | INFOTRAC (ACCT# 78928); |
| 127 Airport Road | | 1-800-535-5053 WITHIN THE U.S.A. |
| E. Stroudsburg, PA 18301 | | 1-352-323-3500 OUTSIDE THE U.S.A. |
| For information call: 570-476-6300 | | |
| Web Site: www.vigon.com | | |
| Manufacturer/Importer/Supplier/Dis | stributor information | |
| Manufacturer | | |
| Company name Address | Vigon International, Inc. 127 Airport Road E. Stroudsburg, PA 18301 United States | |
| Telephone | For information call: | 570-476-6300 |
| Website | www.vigon.com | |
| E-mail | Not available. | |
| Emergency phone number | INFOTRAC 1-800-535-5053 1-352-323-3500 | (ACCT# 78928); WITHIN THE U.S.A. OUTSIDE THE U.S.A. |

2. HAZARD(S) IDENTIFICATION

| Label elements | ~ |
|-----------------------|-------------------|
| Environmental hazards | Not classified. |
| Health hazards | Not classified. |
| Physical hazards | Flammable liquids |



Warning

Signal word Hazard statement

Flammable liquid and vapor.

Category 3



501629 HEXYL FORMATE

| Revision Date: 10-08-2019 | Page 2 of 9 |
|---------------------------|------------------------|
| Version # 02 | Print Date: 10-08-2019 |

| Precautionary statement | |
|--|---|
| Prevention | Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances |
|------------|
|------------|

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--|------------|-----|
| HEXYL FORMATE | N-HEXYL FORMATE hexyl methanoate N-hexyl formate | 629-33-4 | 100 |

4. FIRST-AID MEASURES

| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes. |
| Eye contact | Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids. |
| Ingestion | Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. |
| Indication of immediate medical attention and special treatment needed | Not available. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |



501629 HEXYL FORMATE

Revision Date: 10-08-2019 Version # 02 Page 3 of 9 Print Date: 10-08-2019

5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media Unsuitable extinguishing media | Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire. |
|--|--|
| Specific hazards arising from the chemical | Fire may produce irritating, corrosive and/or toxic gases. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires. |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control. |
| Specific methods | Use water spray to cool unopened containers. |
| General fire hazards | Static charges generated by emptying package in or near flammable vapor may cause flash fire. |

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. |
|---|---|
| Methods and materials for containment and cleaning up | Do not allow material to contaminate ground water system. |
| Environmental precautions | Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. |

7. HANDLING AND STORAGE

| Precautions for safe handling | Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. |
|---|---|
| Conditions for safe storage, including any incompatibilities | Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Occupational exposure limits | This substance has no PEL, TLV, or other recommended exposure limit. |
|-------------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded. |
| Individual protection measures, suc | ch as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin protection | |
| Hand protection | Chemical resistant gloves. |
| Other | Wear suitable protective clothing. |



501629 HEXYL FORMATE

| Revision Date: 10-08-2019 | Page 4 of 9 Print Date: 10-08-2019 | |
|--------------------------------|--|--|
| Version # 02 | | |
| Respiratory protection | Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided. | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | |
| General hygiene considerations | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Refer to Spec Sheet |
|--|-------------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Refer to Spec Sheet |
| Odor | Characteristic. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | -81.4 °F (-63 °C) |
| Initial boiling point and boiling range | 311 °F (155 °C) |
| Flash point | 118.0 °F (47.8 °C) Closed Cup |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explose | sive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 2.97 mm Hg at 25 °C |
| Vapor density | 4.5 |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Explosive properties | Not explosive. |
| Flammability class | Combustible II estimated |
| | |



501629 HEXYL FORMATE

| Revision Date: 10-08-2019 | Page 5 of 9 | |
|--|--|--|
| Version # 02 | Print Date: 10-08-2019 | |
| Molecular formula | C7H14O2 | |
| Molecular weight | 130.19 g/mol 130.19 g/mol | |
| Oxidizing properties | Not oxidizing. | |
| Specific gravity | 0.88 at 25 °C | |
| 10. STABILITY AND REA | ACTIVITY | |
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. | |
| Chemical stability | Material is stable under normal conditions. | |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. | |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. | |
| Incompatible materials | Strong oxidizing agents. | |
| Hazardous decomposition products | No hazardous decomposition products if stored and handled as indicated. | |
| 11. TOXICOLOGICAL IN | FORMATION | |
| Information on likely routes of e | exposure | |
| Inhalation | Knowledge about health hazard is incomplete. | |
| Skin contact | Knowledge about health hazard is incomplete. | |
| Eye contact | Knowledge about health hazard is incomplete. Causes mild eye irritation. | |
| Ingestion | Expected to be a low ingestion hazard. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Direct contact with eyes may cause temporary irritation. | |
| Information on toxicological eff | ects | |
| Acute toxicity | Not known. | |
| | | |

| / loate textony | | |
|--------------------------------------|---|--|
| Product | Species | Test Results |
| HEXYL FORMATE (CAS 629-33 | 3-4) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 5000 mg/kg |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg |
| Skin corrosion/irritation | Due to partial or complete | lack of data the classification is not possible. |
| Serious eye damage/eye irritation | Due to partial or complete lack of data the classification is not possible. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Due to partial or complete | lack of data the classification is not possible. |
| Skin sensitization | Due to partial or complete | lack of data the classification is not possible. |
| | | |



501629 HEXYL FORMATE

| Revision Date: 10-08-2019 | Page 6 of 9 |
|---------------------------|------------------------|
| Version # 02 | Print Date: 10-08-2019 |

| Aspiration hazard | Due to partial or complete lack of data the classification is not possible. |
|---|---|
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. |
| Specific target organ toxicity - single exposure | Due to partial or complete lack of data the classification is not possible. |
| Reproductive toxicity | Due to partial or complete lack of data the classification is not possible. |
| Not listed. | |
| US. National Toxicology Pro | gram (NTP) Report on Carcinogens |
| Not listed. | |
| OSHA Specifically Regulated | d Substances (29 CFR 1910.1001-1053) |
| Not listed. | |
| IARC Monographs. Overall E | Evaluation of Carcinogenicity |
| Carcinogenicity | Due to partial or complete lack of data the classification is not possible. |
| Germ cell mutagenicity | Due to partial or complete lack of data the classification is not possible. |
| | |

12. ECOLOGICAL INFORMATION

| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
|-------------------------------|--|
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. DISPOSAL CONSIDERATIONS

| Disposal instructions | Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
|--|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | Not established. |
| Waste from residues / unused products | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. TRANSPORT INFORMATION

ADN

| UN number | 3272 |
|----------------------------|--------------------------------|
| UN proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| Transport hazard class(es) | 3 |
| Subsidiary class(es) | - |
| Packing group | 111 |



501629 HEXYL FORMATE

Revision Date: 10-08-2019 Version # 02 Page 7 of 9 Print Date: 10-08-2019

| En incompanial baranda | Na |
|------------------------------|---|
| Environmental hazards | No |
| Labels required | 3 |
| ADR | |
| UN number | 3272 |
| UN proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| Transport hazard class(es) | 3 |
| Subsidiary class(es) | - |
| Packing group | |
| Environmental hazards | No |
| Labels required | 3 |
| RID | |
| UN number | 3272 |
| UN proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| Transport hazard class(es) | 3 |
| Subsidiary class(es) | - |
| Packing Group | III |
| Environmental Hazards | No |
| Labels required | 3 |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| DOT | |
| BULK | |
| UN number | 3272 |
| Proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| Hazard class | 3 |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | No |
| Packaging exceptions | 150 |
| Packaging bulk | 242 |
| Labels required | 3 |
| DOT | |
| NON-BULK | |
| Not regulated as dangerous g | oods. |
| ΙΑΤΑ | |
| UN number | 3272 |
| UN proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| Transport hazard class(es) | 3 |
| Subsidiary class(es) | - |
| Packing group | III |
| Environmental hazards | No |
| Labels required | 3 |
| IMDG | |
| UN number | 3272 |
| UN proper shipping name | ESTERS, N.O.S. (HEXYL FORMATE) |
| | |



501629 HEXYL FORMATE

Revision Date: 10-08-2019 Version # 02 Page 8 of 9 Print Date: 10-08-2019

| Transport hazard class(es) | 3 |
|-----------------------------|-----------------|
| Subsidiary class(es) | - |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | No |
| Labels required | 3 |
| Transport in bulk according | Not applicable. |
| to Annex II of MARPOL | |
| 73/78 and the IBC Code | |

ADN; ADR; DOT BULK; IATA; IMDG; RID



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories

SARA 313 (TRI reporting) Not regulated.



501629 HEXYL FORMATE

| Revision Date: 10-08-2019 | Page 9 of 9 |
|--|------------------------|
| Version # 02 | Print Date: 10-08-2019 |
| | |
| Other federal regulations | |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List | |

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

| Issue date | 11-25-2015 |
|----------------------|--|
| Revision date | 10-08-2019 |
| Version # | 02 |
| HMIS® ratings | Health: 1 Flammability: 2 Physical hazard: 0 |
| Disclaimer | Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and d |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |