

# 508049 HEXYLENE GLYCOL

 Revision Date: 06-27-2024
 Page 1 of 9

 Version # 03
 Print Date: 06-27-2024

### 1. IDENTIFICATION

Product Description:	HEXYLENE GLYCOL		
CAS#	107-41-5		
Other means of identification Vigon Item #	508049		
Recommended use	Cosmetic material for FDA regulated product use.		
Recommended restrictions	For Manufacturing Use Only		
<u>Company</u>		24 Hour Emergen	cy Response Information
Vigon International, LLC		INFOTRAC (ACC	T# 78928);
127 Airport Road		1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A	
E. Stroudsburg, PA 18301			
For information call: 570-476-6300	)		
Web Site: www.vigon.com			
Manufacturer/Importer/Supplier/Dia Manufacturer	stributor information		
Company name Address	Vigon International, LLC 127 Airport Road E. Stroudsburg, PA 18301 United States		
Telephone	For information call:	570-476-6300	
Website	www.vigon.com		
E-mail	regulatory@vigon.com		
Emergency phone number		(ACCT# 78928);	
	1-800-535-5053 1-352-323-3500	WITHIN THE U. OUTSIDE THE I	
	1 002 020 0000	COTOIDE THE	0.0.74.
2. HAZARD(S) IDENTIFICA	TION		
2. HAZARD(S) IDENTIFICA Physical hazards	TION Not classified.		
			Category 5
Physical hazards	Not classified.		Category 5 Category 2

Environmental hazards

Label elements



Not classified.

Warning

Hazard statement

Signal word

May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation.



# 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024	Page 2 of 9
Version # 03	Print Date: 06-27-2024

Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
HEXYLENE GLYCOL	2,4-dihydroxy-2-methylpentane	107-41-5	100
	1,3-dimethyl-3-hydroxybutanol		
	hexylene glycol		
	1,1,3-trimethyl trimethylene diol		

### 4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Headache. Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.



## 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024	Page 3 of 9
Version # 03	Print Date: 06-27-2024

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical	Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire. Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contai
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventil
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.
6. ACCIDENTAL RELEASE	MEASURES

Personal precautions, protective	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor.
equipment and emergency	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless
procedures	wearing appropriate protective clothing. Ventilate closed spaces b
Methods and materials for	Collect and dispose of spillage as indicated in section 13 of the SDS.
containment and cleaning up	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commerci

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and cloth



# 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024	Page 4 of 9
Version # 03	Print Date: 06-27-2024

Conditions for safe storage,<br/>including any incompatibilitiesKeep container closed. Handle containers with care. Open slowly in order to control possible<br/>pressure release. Store in a cool, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limits

US. ACGIH Threshold Limit V Material	Туре	Value	Form
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	25 ppm	
	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
US. NIOSH: Pocket Guide to	Chemical Hazards Recommended Expo	sure Limits (REL)	
Material	Туре	Value	
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	125 mg/m3	
		25 ppm	
ological limit values	No biological exposure limits noted for the ingredient(s).		
propriate engineering controls	Use explosion-proof ventilation equipr	nent to stay below exposure	limits.
dividual protection measures, su	ch as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection Hand protection	Chemical resistant gloves.		
Other	Not available.		
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
eneral hygiene considerations	When using do not smoke. Keep away hygiene measures, such as washing a smoking. Routinely wash work clothin	fter handling the material and	d before eating, drinking, and/

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-58 °F (-50 °C)



# 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024	Page 5 of 9
Version # 03	Print Date: 06-27-2024

Initial boiling point and boiling	388.4 °F (198 °C) 101.325 kPa
range	
Flash point	>200.0 °F (>93.3 °C) Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	ive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	588.2 °F (309 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.93 g/cm3 estimated at 17 °C
Explosive properties	Not explosive.
Heat of combustion (NFPA 30B)	28.5 kJ/g
Molecular formula	C6-H14-O2
Molecular weight	118.06 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	0.93 at 17 °C

### **10. STABILITY AND REACTIVITY**

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.



# 508049 HEXYLENE GLYCOL

 Revision Date: 06-27-2024
 Page 6 of 9

 Version # 03
 Print Date: 06-27-2024

#### **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of ex	posure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

Acute toxicity	May be harmful if swallowed.	
Product	Species	Test Results
HEXYLENE GLYCOL (CAS 107-	41-5)	
Acute		
Oral		
LD50	Mouse	3.5 g/kg
	Rat	4.79 g/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Not listed.		
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1053)	
Not listed.		
US. National Toxicology Pro	gram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	

Aspiration hazard Not an aspiration hazard.



## 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024 Version # 03 Page 7 of 9 Print Date: 06-27-2024

#### Chronic effects

Prolonged inhalation may be harmful.

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
HEXYLENE GLYCOL (CAS	6 107-41-5)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Ceriodaphnia reticulata)	≥ 2400 - ≤ 3200 mg/l, 48 hours
Fish	LC50	Bleak (Alburnus alburnus)	≥ 7000 - ≤ 9100 mg/l, 96 hours
ersistence and degradability	No data is	s available on the degradability of this substa	ance.
ioaccumulative potential	No data available.		
lobility in soil	No data available.		
ther adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

#### **13. DISPOSAL CONSIDERATIONS**

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with lo
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **14. TRANSPORT INFORMATION**

#### ADN

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

#### DOT

BULK

Not regulated as dangerous goods.



# 508049 HEXYLENE GLYCOL

Revision Date: 06-27-2024 Version # 03 Page 8 of 9 Print Date: 06-27-2024

DOT	
NON-BULK	anada
Not regulated as dangerous	goods.
IATA Not regulated as dangerous	goods
IMDG	goods.
Not regulated as dangerous	aoods
15. REGULATORY INFOR	RMATION
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control A	ct (TSCA)
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	Ince List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated.	d Substances (00 OEB 4040 4004 4059)
Not listed.	d Substances (29 CFR 1910.1001-1053)
	authorization Act of 1086 (CADA)
SARA 302 Extremely hazard	authorization Act of 1986 (SARA) dous substance
Not listed.	
SARA 311/312 Hazardous	Yes
chemical	
Classified hazard	Flammable (gases, aerosols, liquids, or solids)
categories	Acute toxicity (any route of exposure)
	Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313 (TRI reporting)	
Not regulated.	
Other federal regulations	
	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	440/r) Assidentel Deleges Devention (40 OED 00 420)
Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)
Safe Drinking Water Act	Not regulated.
(SDWA)	not regulated.
16 OTHER INFORMATIO	N INCLUDING DATE OF PREPARATION OR LAST REVISION

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION



# 508049 HEXYLENE GLYCOL

 Revision Date: 06-27-2024
 Page 9 of 9

 Version # 03
 Print Date: 06-27-2024

Revision date	06-27-2024
Version #	03
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
List of abbreviations	<ul> <li>ACGIH: American Conference of Governmental Industrial Hygienists.</li> <li>ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>CAS: Chemical Abstract Service.</li> <li>IARC: International Agency for Research on Cancer.</li> <li>IATA: International Air Transport Association.</li> <li>IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>MARPOL: International Convention for the Prevention of Pollution from Ships.</li> <li>RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.</li> <li>STEL: Short term exposure limit.</li> <li>TWA: Time Weighted Average.</li> </ul>
Disclaimer	Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handlin

This document has undergone significant changes and should be reviewed in its entirety.