

502562 ISOMUSCONE® 50% IN IPM

 Revision Date: 07-06-2018
 Page 1 of 9

 Version # 02
 Print Date: 07-06-2018

1. IDENTIFICATION Product Description: ISOMUSCONE® 50% IN IPM CAS# MIXTURE Other means of identification 502562 Vigon Item # Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines. Recommended restrictions For Manufacturing Use Only 24 Hour Emergency Response Information Company INFOTRAC (ACCT# 78928); Vigon International, Inc. 1-800-535-5053 WITHIN THE U.S.A. 127 Airport Road 1-352-323-3500 OUTSIDE THE U.S.A. E. Stroudsburg, PA 18301 For information call: 570-476-6300 Web Site: www.vigon.com Manufacturer/Importer/Supplier/Distributor information Manufacturer Vigon International, Inc. Company name Address 127 Airport Road E. Stroudsburg, PA 18301 **United States** Telephone For information call: 570-476-6300 Website www.vigon.com E-mail Not available. Emergency phone number **INFOTRAC** (ACCT# 78928); WITHIN THE U.S.A. 1-800-535-5053 1-352-323-3500 OUTSIDE THE U.S.A. 2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 3
Environmental hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	May be harmful if swallowed or in contac	t with skin.
Precautionary statement		
Prevention	Observe good industrial hygiene practice	es.
Response	Call a POISON CENTER/doctor if you fe	el unwell.



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018	Page 2 of 9
Version # 02	Print Date: 07-06-2018
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CYCLOHEXADECANONE	homo exaltone	2550-52-9	50
ISOPROPYL MYRISTATE	propan-2-yl tetradecanoate 1- methyl ethyl tetradecanoate iso propyl tetradecanoate	110-27-0	50

4. FIRST-AID MEASURES	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardar face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018	Page 3 of 9
Version # 02	Print Date: 07-06-2018
Fire fighting	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and
equipment/instructions	consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before

entering them. Keep run-off water out of sewers and water sources. Dike for water control.Specific methodsUse water spray to cool unopened containers.General fire hazardsStatic charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. The product is immiscible with water and will spread on the water surface. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.
Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.
7. HANDLING AND STORA	ЭЕ
Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for onfo store as	Keen container closed. Hendle containers with care. Onen clowly in order to control possible

Conditions for safe storage,
including any incompatibilitiesKeep container closed. Handle containers with care. Open slowly in order to control possible
pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018 Version # 02 Page 4 of 9 Print Date: 07-06-2018

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Chemical resistant gloves.
Other	Not available.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	
Flammability limit - lower (%)	Not available.
Flammability limit - upper	Not available.
(%)	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.



502562 ISOMUSCONE® 50% IN IPM

 Revision Date: 07-06-2018
 Page 5 of 9

 Version # 02
 Print Date: 07-06-2018

Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Molecular formula	Not applicable
Oxidizing properties	Not oxidizing.
Specific gravity	0.88 at 20 °C Note: relation to density of water at 4 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of e	exposure			
Inhalation	No adverse effects due to inhala	No adverse effects due to inhalation are expected.		
Skin contact	May be harmful in contact with	May be harmful in contact with skin. Causes mild skin irritation.		
Eye contact	Causes mild eye irritation.			
Ingestion	May be harmful if swallowed.			
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological effe	ects			
Acute toxicity	May be harmful in contact with skin. May be harmful if swallowed.			
/ louid toxiony	May be narmarin contact with s	skin. May be harmun swallowed.		
Components	Species	Test Results		
-	Species			
Components	Species			
Components CYCLOHEXADECANONE (CA	Species			
Components CYCLOHEXADECANONE (CA Acute	Species			
Components CYCLOHEXADECANONE (CA Acute Dermal	Species S 2550-52-9)	> 2000 mg/kg Method: OECD Test		



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018 Version # 02 Page 6 of 9 Print Date: 07-06-2018

Components	Species	Test Results
SOPROPYL MYRISTATE (CAS	110-27-0)	
Acute		
Dermal		
LD50	Rabbit	5000 mg/kg
Inhalation		
LC50	Rat	> 41000 mg/m3, 1 hours
Oral		
LD50	Rat	> 16000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause	e temporary irritation.
Serious eye damage/eye rritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Not listed.		
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-10	52)
Not regulated.		
	gram (NTP) Report on Carcinogens	
Not listed.	ulated Substances (29 CFR 1910.100	1 1050)
Not available.	Jialeu Substances (29 CFR 1910.100	1-1050)
Reproductive toxicity	This product is not expected to ca	use reproductive or developmental effects
Specific target organ toxicity -	This product is not expected to cause reproductive or developmental effects. Not classified.	
single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. ECOLOGICAL INFOR	MATION	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the	
	possibility that large or frequent sp	ills can have a harmful or damaging effect on the environment
Components	Species	Test Results

Aquatic

Other

EC50



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018	Page 7 of 9
Version # 02	Print Date: 07-06-2018

Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

Not regulated as dangerous goods.

DOT

NON-BULK

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018 Version # 02 Page 8 of 9

Print Date: 07-06-2018

	a natification
SARA 304 Emergency releas	
Not regulated.	ated Substances (29 CFR 1910.1001-1050)
Not available.	
	Substances (29 CFR 1910.1001-1052)
Not regulated.	, , , , , , , , , , , , , , , , , , ,
-	lotification (40 CFR 707, Subpt. D)
Not regulated.	
Superfund Amendments and Rea SARA 302 Extremely hazard	
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	
California Proposition 65	
California Proposition 65	- Carcinogens & Reproductive Toxicity (CRT): Listed substance
Not listed.	
16. OTHER INFORMATION	I, INCLUDING DATE OF PREPARATION OR LAST REVISION
Issue date	11-20-2015
Revision date	07-06-2018
Version #	02
HMIS® ratings	Health: 1
	· · · · · · · · · · · · · · · · ·

Flammability: 1 Physical hazard: 0



502562 ISOMUSCONE® 50% IN IPM

Revision Date: 07-06-2018	Page 9 of 9
Version # 02	Print Date: 07-06-2018

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.