

### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 1 of 11

Version # 03 Print Date: 07-16-2024

#### 1. IDENTIFICATION

Product Description: METHYL PROPIONATE

**CAS #** 554-12-1 **FEMA Number** 2742

Other means of identification

**Vigon Item #** 501172

Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, LLC INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301 1-352-323-3500 OUTSIDE THE U.S.A.

For information call: 570-476-6300

Web Site: www.vigon.com

#### Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC Address 127 Airport Road

E. Stroudsburg, PA 18301

**United States** 

**Telephone** For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

#### 2. HAZARD(S) IDENTIFICATION

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, oralCategory 5

Acute toxicity, inhalation Category 4
Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

Label elements



Signal word Danger



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 2 of 11

Print Date: 07-16-2024 Version #03

Highly flammable liquid and vapor. May be harmful if swallowed. Causes serious eye damage. Hazard statement

Harmful if inhaled.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

> Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take Response

off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove

person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use appropriate media to

extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 100% of the substance consists of component(s) of unknown acute hazards to the aquatic

environment. 100% of the substance consists of component(s) of unknown long-term hazards to

the aquatic environment.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
METHYL PROPIONATE	methyl propylate	554-12-1	100
	methyl propanoate		
	Propanoic acid, methyl ester		

#### 4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 3 of 11

Version # 03 Print Date: 07-16-2024

Indication of immediate medical attention and special treatment

Not available.

needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

**Specific methods**Use water spray to cool unopened containers.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 4 of 11

Version # 03 Print Date: 07-16-2024

#### 7. HANDLING AND STORAGE

**Precautions for safe handling**Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary

measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible

pressure release. Store in a cool, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Chemical resistant gloves.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

**Color** Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point -125.5 °F (-87.5 °C) Initial boiling point and boiling 175.64 °F (79.8 °C)

range

Flash point 43.0 °F (6.1 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 2.5 % Explosive limit - upper (%) 13 %(V)



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 5 of 11

Version # 03 Print Date: 07-16-2024

Vapor pressure 80 mm Hg at 20 °C

Vapor density 3.03

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient 0.82

(n-octanol/water)

**Auto-ignition temperature** 876 °F (468.89 °C)

**Decomposition temperature**Not available. **Viscosity**Not available.

Other information

**Density** 0.91 g/cm3 estimated at 20 °C

**Explosive properties** Not explosive.

Flammability class Flammable IB estimated

Molecular formulaC4-H8-O2Molecular weight88.12 g/molOxidizing propertiesNot oxidizing.Specific gravity0.92 at 25 °C

#### 10. STABILITY AND REACTIVITY

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** Harmful if inhaled.

**Skin contact** No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 6 of 11

Version # 03 Print Date: 07-16-2024

Acute toxicity Harmful if inhaled. May be harmful if swallowed.

Product Species Test Results

METHYL PROPIONATE (CAS 554-12-1)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

LC50 Rat 11 mg/l, 4 hours

Oral

LD50 Rat 5 g/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

METHYL PROPIONATE (CAS 554-12-1)

Aquatic

Acute

Crustacea LC50 Water flea (Daphnia magna) 500 mg/l, 24 hours



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 7 of 11

Version # 03 Print Date: 07-16-2024

Persistence and degradability

No data is available on the degradability of this substance.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

0.82

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. TRANSPORT INFORMATION

**ADN** 

UN number 1248

UN proper shipping name METHYL PROPIONATE

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

**ADR** 

UN number 1248

UN proper shipping name METHYL PROPIONATE

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

**RID** 

UN number 1248

UN proper shipping name METHYL PROPIONATE

Transport hazard class(es) 3
Subsidiary class(es) Packing Group II
Environmental Hazards No



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 8 of 11

Version # 03 Print Date: 07-16-2024

Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT BULK

UN number 1248

Proper shipping name METHYL PROPIONATE

Hazard class 3
Packing group II

**Environmental hazards** 

Marine pollutantNoPackaging exceptions150Packaging bulk242Reportable quantity100Labels required3

DOT

**NON-BULK** 

UN number 1248

Proper shipping name METHYL PROPIONATE

Hazard class 3
Packing group II

**Environmental hazards** 

Marine pollutantNoPackaging exceptions150Packaging non bulk202Reportable quantity100Labels required3

**IATA** 

UN number 1248

UN proper shipping name METHYL PROPIONATE

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

**IMDG** 

UN number 1248

UN proper shipping name METHYL PROPIONATE

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards

Marine pollutant No Labels required 3



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 9 of 11

Version # 03 Print Date: 07-16-2024

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



#### 15. REGULATORY INFORMATION

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

METHYL PROPIONATE (CAS 554-12-1)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories Acute toxicity (any route of exposure)

Skin corrosion or irritation

Hazard not otherwise classified (HNOC)

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.



### 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 10 of 11

Version # 03 Print Date: 07-16-2024

Safe Drinking Water Act

(SDWA)

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

METHYL PROPIONATE (CAS 554-12-1) Low priority

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Issue date** 11-26-2015 **Revision date** 07-16-2024

Version # 03

HMIS® ratings Health: 2

Flammability: 3 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.



# 501172 METHYL PROPIONATE

Revision Date: 07-16-2024 Page 11 of 11

Version # 03 Print Date: 07-16-2024

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.