

500539 ORANGE OIL BRAZIL

 Revision Date: 05-01-2020
 Page 1 of 10

 Version # 06
 Print Date: 05-01-2020

1. IDENTIFICATION Product Description: ORANGE OIL BRAZIL CAS# 8008-57-9 **FEMA Number** 2825 Other means of identification Vigon Item # 500539 Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines. **Recommended restrictions** For Manufacturing Use Only Company 24 Hour Emergency Response Information INFOTRAC (ACCT# 78928); Vigon International, Inc. 1-800-535-5053 WITHIN THE U.S.A. 127 Airport Road 1-352-323-3500 OUTSIDE THE U.S.A. E. Stroudsburg, PA 18301 For information call: 570-476-6300 Web Site: www.vigon.com Manufacturer/Importer/Supplier/Distributor information Manufacturer Vigon International, Inc. Company name Address 127 Airport Road E. Stroudsburg, PA 18301 United States Telephone For information call: 570-476-6300 Website www.vigon.com E-mail regulatory@vigon.com **INFOTRAC** Emergency phone number (ACCT# 78928); 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A. 2. HAZARD(S) IDENTIFICATION Dhysical hazards Elammable liquids Catagory 2

Physical nazaros	Flammable liquids	Category 5
Health hazards	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020 Version # 06 Page 2 of 10 Print Date: 05-01-2020

Label elements	
Signal word	Danger
Hazard statement	Flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the substance consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
ORANGE OIL		8008-57-9	100

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation. May cause an allergic skin reaction. Dermatitis. Rash.



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020 Page 3 of 10 Print Date: 05-01-2020 Version # 06 Not available. Indication of immediate medical attention and special treatment needed General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire. Specific hazards arising from Fire may produce irritating, corrosive and/or toxic gases. the chemical Firefighters must use standard protective equipment including flame retardant coat, helmet with Special protective equipment and precautions for firefighters face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires. Fire fighting In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and equipment/instructions consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control. Specific methods Use water spray to cool unopened containers. General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. equipment and emergency Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless procedures wearing appropriate protective clothing. Ventilate closed spaces before entering them. Methods and materials for Collect and dispose of spillage as indicated in section 13 of the SDS. containment and cleaning up Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents,

The product is immiscible with water and will spread on the water surface.

or recover using pumps.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020	Page 4 of 10
Version # 06	Print Date: 05-01-2020

Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.
7. HANDLING AND STORAGE	
Descentions for sofe handling	De net bendle en stere neer en ener flerer, best er etter sources of institut. Take anservitingen

Precautions for safe handling	Do not handle or store hear an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage,	Keep container closed. Handle containers with care. Open slowly in order to control possible
including any incompatibilities	pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.
Individual protection measures, sur Eye/face protection	ch as personal protective equipment Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection Hand protection	Chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	343.4 - 348.8 °F (173 - 176 °C) estimated
Flash point	120.0 °F (48.9 °C) Closed Cup
Evaporation rate	Not available.



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020 Version # 06 Page 5 of 10 Print Date: 05-01-2020

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	0.97 mm Hg at 25 °C	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	0.84 g/cm3 estimated at 25 °C	
Explosive properties	Not explosive.	
Flammability class	Combustible II estimated	
Molecular formula	Not applicable	
Oxidizing properties	Not oxidizing.	
Specific gravity	0.84 at 25 °C	

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure		
Inhalation	Knowledge about health hazard is incomplete.	
Skin contact	Causes mild skin irritation. May cause an allergic skin reaction.	



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020		Page 6 of 10	
Version # 06		Print Date: 05-01-2020	
Eye contact	Knowledge about health hazard i	s incomplete. Causes mild eye irritation.	
Ingestion	Knowledge about health hazard is incomplete. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.		
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effect	ts		
Acute toxicity	May be fatal if swallowed and en	ters airways.	
Product	Species	Test Results	
ORANGE OIL (CAS 8008-57-9)			
Acute			
Dermal			
LD50	Rabbit	> 5000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Due to partial or complete lack of	data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of	Due to partial or complete lack of data the classification is not possible.	
Respiratory or skin sensitization			
Respiratory sensitization		data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity		Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity		data the classification is not possible.	
•••	Evaluation of Carcinogenicity		
Not listed.	d Substances (29 CFR 1910.1001-10	053)	
Not listed.	a Gubsianoss (23 OFIX 1310.1001-1		
	gram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	Due to partial or complete lack of	data the classification is not possible.	
Specific target organ toxicity - single exposure	Knowledge about health hazard i	Knowledge about health hazard is incomplete.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	May be fatal if swallowed and enters airways.		

12. ECOLOGICAL INFORMATION

Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020	Page 7 of 10	
Version # 06	Print Date: 05-01-2020	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. DISPOSAL CONSIDER	RATIONS	
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	Not established.	
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. TRANSPORT INFORMATION

ADN

UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (ORANGE OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3
ADR	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (ORANGE OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	3
RID	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (ORANGE OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
DOT	
BULK	
UN number	1197



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020 Version # 06 Page 8 of 10 Print Date: 05-01-2020

Proper shipping name	EXTRACTS, FLAVOURING, LIQUID (ORANGE OIL)
Hazard class	3
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	3
DOT	
NON-BULK	
Not regulated as dangerous go	pods.
ΙΑΤΑ	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	No
Labels required	Not available.
IMDG	
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID (ORANGE OIL)
Transport hazard class(es)	3
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	3
Transport in bulk according	Not applicable.
to Annex II of MARPOL	
73/78 and the IBC Code	

ADN; ADR; DOT BULK; IATA; IMDG; RID





500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020 Version #06

Page 9 of 10 Print Date: 05-01-2020

Marine pollutant



15. REGULATORY INFOR	MATION
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control Ac	t (TSCA)
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substar	nce List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency release	e notification
Not regulated.	
	I Substances (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Rea SARA 302 Extremely hazard Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Aspiration hazard
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
16. OTHER INFORMATION	N, INCLUDING DATE OF PREPARATION OR LAST REVISION
Issue date	12-18-2014

Issue date	12-18-2014
Revision date	05-01-2020



500539 ORANGE OIL BRAZIL

Revision Date: 05-01-2020	Page 10 of 10
Version # 06	Print Date: 05-01-2020
Version #	06
HMIS® ratings	Health: 2* Flammability: 2 Physical hazard: 0
Disclaimer	Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as guarantee or quality specification. This product has not been evaluated for safe use in e-cigarette or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information relates only to this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is
Revision information	This document has undergone significant changes and should be reviewed in its entirety.