

502824 OXANE 50% IN TEC

 Revision Date: 11-14-2019
 Page 1 of 9

 Version # 03
 Print Date: 11-14-2019

1. IDENTIFICATION		
Product Description:	OXANE 50% IN TEC	
CAS #	MIXTURE	
Other means of identification Vigon Item #	502824	
Recommended use	Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.	
Recommended restrictions	For Manufacturing Use Only	
<u>Company</u>	2	24 Hour Emergency Response Information
Vigon International, Inc.	I	INFOTRAC (ACCT# 78928);
127 Airport Road		1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301		1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-6300		
Web Site: www.vigon.com		
Manufacturer/Importer/Supplier/Dis Manufacturer	tributor information	
Company name Address	Vigon International, Inc. 127 Airport Road E. Stroudsburg, PA 18301 United States	
Telephone	For information call:	570-476-6300
Website	www.vigon.com	
E-mail	Not available.	
Emergency phone number	INFOTRAC 1-800-535-5053 1-352-323-3500	(ACCT# 78928); WITHIN THE U.S.A. OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Serious eye damage/eye irritation	Category 2B
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3



502824 OXANE 50% IN TEC

Л

Revision Date: 11-14-2019	Page 2 of 9
Version # 03	Print Date: 11-14-2019

Label elements

Signal word	Warning
Hazard statement	Combustible liquid. May be harmful if swallowed. Causes eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
OXANE	cis-2-Methyl-4-propyl-1,3-oxathiane 1,3-Oxathiane, 2-methyl-4-propyl-, cis-	59323-76-1	50
Other components below r	eportable levels		50

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019	Page 3 of 9
Version # 03	Print Date: 11-14-2019
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. FIRE-FIGHTING MEASU	IRES
Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.
6. ACCIDENTAL RELEASE	MEASURES
Personal precautions, protective equipment and emergency procedures	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
Methods and materials for containment and cleaning up	Collect and dispose of spillage as indicated in section 13 of the SDS.
	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or

flames in immediate area). Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019	Page 4 of 9
Version # 03	Print Date: 11-14-2019

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation should be provided so that exposure limits are not exceeded.	
Individual protection measures, suc Eye/face protection	h as personal protective equipment Wear safety glasses with side shields (or goggles).	
Skin protection Hand protection	Chemical resistant gloves.	
Other	Wear suitable protective clothing.	
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	165.0 °F (73.9 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019	Page 5 of 9
Version # 03	Print Date: 11-14-2019

Upper/lower flammability or explosive limits

Flammability limit - lower Not available. Kammability limit - upper Not available. (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure < 0.1 mm Hg at 20°C Vapor density 5.6 Relative density Not available. Solubility (water) Insoluble. Partition coefficient (n-octanol/water) Not available. Auto-ignition temperature Not available.		
(%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure < 0.1 mm Hg at 20°C Vapor density 5.6 Relative density Not available. Solubility(ies) Insoluble. Solubility(water) Insoluble Partition coefficient Not available.	-	Not available.
Explosive limit - upper (%)Not available.Vapor pressure< 0.1 mm Hg at 20°C		Not available.
Vapor pressure< 0.1 mm Hg at 20°CVapor density5.6Relative densityNot available.Solubility(ies)InsolublePartition coefficient (n-octanol/water)Not available.	Explosive limit - lower (%)	Not available.
Vapor density5.6Relative densityNot available.Solubility(ies) Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.	Explosive limit - upper (%)	Not available.
Relative density Not available. Solubility(ies) Insoluble Solubility (water) Insoluble Partition coefficient (n-octanol/water) Not available.	Vapor pressure	< 0.1 mm Hg at 20°C
Solubility(ies) Insoluble Solubility (water) Insoluble Partition coefficient Not available. (n-octanol/water) Insoluble	Vapor density	5.6
Solubility (water)InsolublePartition coefficientNot available.(n-octanol/water)Insoluble	Relative density	Not available.
Partition coefficient Not available. (n-octanol/water) Image: Content of the second s	Solubility(ies)	
(n-octanol/water)	Solubility (water)	Insoluble
Auto-ignition temperature Not available.		Not available.
	Auto-ignition temperature	Not available.
Decomposition temperature Not available.	Decomposition temperature	Not available.
Viscosity Not available.	Viscosity	Not available.
Other information	Other information	
Explosive properties Not explosive.	Explosive properties	Not explosive.
Flammability class Combustible IIIA estimated	Flammability class	Combustible IIIA estimated
Molecular formula Not applicable	Molecular formula	Not applicable
Oxidizing properties Not oxidizing.	Oxidizing properties	Not oxidizing.
Specific gravity 1.05 at 25 °C	Specific gravity	1.05 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting.
Skin contact	Knowledge about health hazard is incomplete.
Eye contact	Causes eye irritation.
Ingestion	May be harmful if swallowed.



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019		Page 6 of 9
Version # 03		Print Date: 11-14-2019
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. individuals may experience eye tearin	Headache. Nausea, vomiting. Irritation of eyes. Exposed g, redness, and discomfort.
Information on toxicological effect	S	
Acute toxicity	In high concentrations, vapors are and central nervous system effects. May b	esthetic and may cause headache, fatigue, dizziness and he harmful if swallowed.
Product	Species	Test Results
OXANE 50% IN TEC		
Acute		
Oral		
LD50	Rat	2500 mg/kg (oral, rat, acute toxic class method, OECD 423)
Components	Species	Test Results
OXANE (CAS 59323-76-1)		
Acute		
Oral		
LD50	Rat	6000 mg/kg
Skin corrosion/irritation	Due to partial or complete lack of data Irritation (dermal) (FHSA): non irritant Irritation (dermal) (HRIPT): non irritant	@ 50%
Serious eye damage/eye irritation	Causes eye irritation. Irritation (ocular) (FHSA): non irritant (@ 50%
Respiratory or skin sensitization		
Respiratory sensitization	Due to partial or complete lack of data	a the classification is not possible.
Skin sensitization	Due to partial or complete lack of data the classification is not possible. Sensitization (HRIPT): non sensitizing @ 2.5% Photosensitization (HRIPT): non photosensitizing @ 2.5%	
Germ cell mutagenicity	Mutagenicity (OECD 471): not mutagenic. Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data	a the classification is not possible.
IARC Monographs. Overall E	valuation of Carcinogenicity	
Not listed. OSHA Specifically Regulated Not listed.	Substances (29 CFR 1910.1001-1053)	
	ram (NTP) Report on Carcinogens	
Reproductive toxicity	Due to partial or complete lack of data	the classification is not possible
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.	·
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data	a the classification is not possible.



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019 Version # 03

Aspiration hazard

Page 7 of 9 Print Date: 11-14-2019

Due to partial or complete lack of data the classification is not possible.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Harmful to ac	quatic life with long lasting effects.	
Product		Species	Test Results
OXANE 50% IN TEC			
Aquatic			
Algae	ErC50	Algae	11.679 mg/l, 96 hours
Crustacea	EC50	Daphnia	10.8 mg/l, 48 hours
Persistence and degradability	No data is av	ailable on the degradability of any ingredie	ents in the mixture.
Bioaccumulative potential	No data available.		
Mobility in soil	No data avai	lable.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

UN number Proper shipping name Hazard class Packing group	NA1993 COMBUSTIBLE LIQUID, N.O.S. (OXANE) Combustible liq III
Environmental hazards	
Marine pollutant	No



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019 Version # 03 Page 8 of 9 Print Date: 11-14-2019

Packaging exceptions	150
Packaging bulk	242
Labels required	3
от.	

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

Classified hazard	Flammable (gases, aerosols, liquids, or solids)	
categories	Serious eye damage or eye irritation	
	Specific target organ toxicity (single or repeated exposure)	

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)



502824 OXANE 50% IN TEC

Revision Date: 11-14-2019 Version # 03 Page 9 of 9 Print Date: 11-14-2019

16. OTHER INFORMA	ATION, INCLUDING DATE OF PREPARATION OR LAST REVISION
Issue date	11-24-2015
Revision date	11-14-2019
Version #	03
HMIS® ratings	Health: 2* Flammability: 2 Physical hazard: 0
Disclaimer	Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and d
Revision information	This document has undergone significant changes and should be reviewed in its entirety.