

# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 1 of 9

Version # 05 Print Date: 03-01-2022

1. IDENTIFICATION

Product Description: PROPYLENE GLYCOL

**CAS #** 57-55-6 **FEMA Number** 2940

Other means of identification

Vigon Item # 500342

Recommended use Solvent or Carrier

**Recommended restrictions** For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, LLC INFOTRAC (ACCT# 78928);

E. Stroudsburg, FA 10301

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC

Address 127 Airport Road

E. Stroudsburg, PA 18301

**United States** 

**Telephone** For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The substance does not meet the criteria for classification.

Precautionary statement

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 2 of 9

Version # 05 Print Date: 03-01-2022

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
PROPYLENE GLYCOL	Propan-1,2-diol	57-55-6	100
	1,2 dihydroxypropane		
	trimethyl glycol		
	methyl ethylene glycol		

### 4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment

needed

Not available.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

Fire may produce irritating, corrosive and/or toxic gases.

the chemical

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 3 of 9

Version # 05 Print Date: 03-01-2022

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Large Spills: Dike the spilled material, where this is possible. Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains.

Small Spills: Clean surface thoroughly to remove residual contamination. Wipe up with absorbent material (e.g. cloth, fleece).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Material	Туре	Value	Form	
PROPYLENE GLYCOL	TWA	10 mg/m3	Aerosol.	
(CAS 57-55-6)				

Biological limit values No biological exposure limits noted for the ingredient(s).



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 4 of 9

Version # 05 Print Date: 03-01-2022

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Not available.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.
Odor threshold Not available.
pH Not available.

Melting point/freezing point -74.2 °F (-59 °C)
Initial boiling point and boiling 370.76 °F (188.2 °C)

range

Flash point 212.0 °F (100.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.2 mm Hg at 25 °C

Vapor density 2.6

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient -0.92

(n-octanol/water)

Auto-ignition temperature 699.8 °F (371 °C)

Decomposition temperature Not available.

Viscosity Not available.



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 5 of 9

Version # 05 Print Date: 03-01-2022

Other information

**Density** 1.04 g/cm3 estimated at 25 °C **Dynamic viscosity** 58.1 mPa.s (68 °F (20 °C))

**Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Heat of combustion (NFPA

30B)

20.5 kJ/g

Kinematic viscosity 56.09 mm²/s estimated

Molecular formulaC3-H8-O2Molecular weight76.09 g/molOxidizing propertiesNot oxidizing.Specific gravity1.04 at 25 °C

Surface tension 40.1 mN/m (77 °F (25 °C))
VOC 100 % EPA estimated

### 10. STABILITY AND REACTIVITY

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** Knowledge about health hazard is incomplete.

Skin contact Causes mild skin irritation.

Eye contact Knowledge about health hazard is incomplete. Causes mild eye irritation.

**Ingestion** Knowledge about health hazard is incomplete.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 6 of 9

Version # 05 Print Date: 03-01-2022

Product Species Test Results

PROPYLENE GLYCOL (CAS 57-55-6)

Acute

Dermal

LD50 Rabbit 20800 mg/kg

**Skin corrosion/irritation**Due to partial or complete lack of data the classification is not possible.

Skin - Human - Mild skin irritation - 7 d

**Serious eye damage/eye** Due to partial or complete lack of data the classification is not possible.

irritation Eyes - rabbit - Mild eye irritation

Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

PROPYLENE GLYCOL (CAS 57-55-6)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 710, 96 hours

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 7 of 9

Version # 05 Print Date: 03-01-2022

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions**Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

**BULK** 

Not regulated as dangerous goods.

DOT

**NON-BULK** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

### 15. REGULATORY INFORMATION

US federal regulations

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.



# 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 8 of 9

Version # 05 Print Date: 03-01-2022

### SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Yes

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Total food additive

Direct food additive

GRAS food additive

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 02-04-2014

 Revision date
 03-01-2022

Version # 05

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AICIS: Australian Inventory of Industrial Chemicals.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.



## 500342 PROPYLENE GLYCOL

Revision Date: 03-01-2022 Page 9 of 9

Version # 05 Print Date: 03-01-2022

#### Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

#### **Revision information**

Product and Company Identification: Alternate Trade Names

HAZARD(S) IDENTIFICATION: Prevention HAZARD(S) IDENTIFICATION: Response

HAZARD(S) IDENTIFICATION: Hazard(s) not otherwise classified (HNOC) EXPOSURE CONTROLS/PERSONAL PROTECTION: PPE Symbols

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION: Reference s OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION: List of

abbreviations