

504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 1 of 11

Version # 03 Print Date: 03-24-2023

1. IDENTIFICATION

Product Description: RUM ETHER WONF

CAS # MIXTURE FEMA Number 2996

Other means of identification

Vigon Item # 504143

Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

Company 24 Hour Emergency Response Information

Vigon International, LLC INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301 1-352-323-3500 OUTSIDE THE U.S.A.

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC Address 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 2Sensitization, skinCategory 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Not classified.

Label elements



Signal word Danger



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 2 of 11

Version # 03 Print Date: 03-24-2023

Hazard statement Highly flammable liquid and vapor. May cause an allergic skin reaction. Causes serious eye

irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Keep container tightly closed. Keep cool.

Ground and bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.

Wear eye protection/face protection. Wear protective gloves.

Response If medical advice is needed, have product container or label at hand. IF ON SKIN (or hair): Take

off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

POISON CENTER/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated

clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

wise None known.

Supplemental information 25.76% of the mixture consists of component(s) of unknown acute oral toxicity. 25.76% of the

mixture consists of component(s) of unknown acute dermal toxicity. 25.76% of the mixture

consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL	ethanol ethyl hydroxide	64-17-5	20 - < 40
	1-hydroxyethane		
	methyl carbinol		
Other components below reportable levels			80 - < 90

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 3 of 11

Print Date: 03-24-2023 Version # 03

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical

Not available.

attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

protect themselves. Show this safety data sheet to the doctor in attendance.

respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

General fire hazards

Specific methods

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Use water spray to cool unopened containers.

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 4 of 11

Version # 03 Print Date: 03-24-2023

Environmental precautions Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local

authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if

safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handlingDo not handle or store near an open flame, heat or other sources of ignition. Take precautionary

measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible

pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
ETHYL ALCOHOL (CAS	PEL	1900 mg/m3	
64-17-5)			

1000 ppm

US. ACGIH Threshold Limit Values

Components	Туре	Value
ETHYL ALCOHOL (CAS	STEL	1000 ppm

64-17-5)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
ETHYL ALCOHOL (CAS 64-17-5)	TWA	1900 mg/m3

1000 ppm

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 5 of 11

Version # 03 Print Date: 03-24-2023

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

range

173.3 °F (78.5 °C) estimated

Flash point 70.0 °F (21.1 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Molecular formula Not applicable

Oxidizing properties Not oxidizing.

Specific gravity 0.97 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 6 of 11

Version # 03 Print Date: 03-24-2023

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause drowsiness or dizziness. Headache. Nausea, vomiting. May cause irritation to the

respiratory system. Prolonged inhalation may be harmful.

Skin contact May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation.

physical, chemical andSymptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

toxicological characteristics respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

ETHYL ALCOHOL (CAS 64-17-5)

Acute

Dermal

LD50 Rabbit > 15800 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 7 of 11

Print Date: 03-24-2023 Version # 03

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYL ALCOHOL -0.31

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 1197

UN proper shipping name EXTRACTS, LIQUID (RUM ETHER)

Transport hazard class(es) 3 Subsidiary class(es) Ш Packing group Yes **Environmental hazards** Labels required 3

ADR

UN number 1197

UN proper shipping name EXTRACTS, LIQUID (RUM ETHER)

Transport hazard class(es) Subsidiary class(es) Ш Packing group Yes **Environmental hazards** 3 Labels required



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 8 of 11

Version # 03 Print Date: 03-24-2023

RID

UN number 1197

UN proper shipping name EXTRACTS, LIQUID (RUM ETHER)

Transport hazard class(es) 3
Subsidiary class(es) Packing Group II
Environmental Hazards Yes
Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number 1197

Proper shipping name EXTRACTS, FLAVORING, LIQUID (RUM ETHER)

Hazard class 3
Packing group II

Environmental hazards

Marine pollutantYesPackaging exceptions150Packaging bulk242Labels required3

DOT

NON-BULK

UN number 1197

Proper shipping name EXTRACTS, FLAVORING, LIQUID

Hazard class 3
Packing group II
Environmental hazards

Marine pollutant No Packaging exceptions 150

Packaging non bulk 202
Labels required 3

IATA

UN number 1197

UN proper shipping name EXTRACTS, LIQUID

Transport hazard class(es) 3
Subsidiary class(es) Packing group II
Environmental hazards No
Labels required 3

IMDG

UN number 1197

UN proper shipping name EXTRACTS, LIQUID (RUM ETHER)

Transport hazard class(es) 3
Subsidiary class(es) -



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 9 of 11

Version # 03 Print Date: 03-24-2023

Packing group

Environmental hazards

Marine pollutant Yes Labels required 3

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 10 of 11

Version # 03 Print Date: 03-24-2023

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHYL ALCOHOL (CAS 64-17-5) Low priority

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 06-05-2015

 Revision date
 03-24-2023

Version # 03

HMIS® ratings Health: 2*

Flammability: 3 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.



504143 RUM ETHER WONF

Revision Date: 03-24-2023 Page 11 of 11

Version # 03 Print Date: 03-24-2023

Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.