



SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 1 of 14

Version # 01

Print Date: 08-08-2018

1. IDENTIFICATION

Product Description: SAMPAQUITA GIVCO 138/10
CAS # MIXTURE
Other means of identification
Vigon Item # 508472
Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.
Recommended restrictions For Manufacturing Use Only

Company

Vigon International, Inc.
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	Vigon International, Inc.	
Address	127 Airport Road E. Stroudsburg, PA 18301 United States	
Telephone	For information call:	570-476-6300
Website	www.vigon.com	
E-mail	Not available.	
Emergency phone number	INFOTRAC	(ACCT# 78928);
	1-800-535-5053	WITHIN THE U.S.A.
	1-352-323-3500	OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 2 of 14

Version # 01

Print Date: 08-08-2018

Label elements



Signal word

Warning

Hazard statement

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes skin and eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage

Store in a well-ventilated place.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

20.5% of the mixture consists of component(s) of unknown acute oral toxicity. 20.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 45.5% of the mixture consists of component(s) of unknown acute inhalation toxicity. 5.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 30.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LINALOOL	2,6-DIMETHYL-2,7-OCTADIENE-6-OL 1,6-Octadien-3-ol, 3,7-dimethyl- 3,7-Dimethylocta-1,6-dien-3-ol LINALYL ALCOHOL	78-70-6	20 - < 30
BENZYL ALCOHOL	ALPHA-HYDROXYTOLUENE PHENYLCARBINOL PHENYLMETHANOL ALPHA-TOLUENOL Benzenemethanol phenylmethanol Benzyl carbinol	100-51-6	10 - < 20

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 3 of 14

Version # 01

Print Date: 08-08-2018

Chemical name	Common name and synonyms	CAS number	%
HEXYL SALICYLATE	hexyl o-hydroxybenzoate hexyl 2-hydroxy-1-benzene carboxylate hexyl 2-hydroxybenzoate	6259-76-3	10 - < 20
BENZYL ACETATE	PHENYL METHYL ACETATE a-acetoxytoluene benzenemethanol acetate benzenemethanol ethanoate benzyl ethanoate	140-11-4	5 - < 10
C13-14 ISOPARAFFIN		64742-47-8	5 - < 10
METHYL ANTHRANILATE	Methyl 2-aminobenzoate O-CARBOMETHOXYANILINE 2-(METHOXYCARBONYL)ANILINE methyl ortho-aminobenzoate	134-20-3	5 - < 10
INDOLE	1-benzazole 1H- indole KETOLE BENZOPYRROLE	120-72-9	< 1
Other components below reportable levels			20 - < 30

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.



SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 4 of 14

Version # 01

Print Date: 08-08-2018

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 5 of 14

Version # 01

Print Date: 08-08-2018

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
BENZYL ACETATE (CAS 140-11-4)	TWA	10 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m ³
		10 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.
Skin protection	
Hand protection	Chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 6 of 14

Version # 01

Print Date: 08-08-2018

Initial boiling point and boiling range	Not available.
Flash point	194.0 °F (90.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.07 hPa at 20 °C Calculated (99.3 %)
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	976.23 kg/m3 at 20 °C
Explosive properties	Not explosive.
Molecular formula	Not applicable
Oxidizing properties	Not oxidizing.
Specific gravity	0.98 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Peroxides. Phenols.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 7 of 14

Version # 01

Print Date: 08-08-2018

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Product	Species	Test Results
---------	---------	--------------

SAMPAQUITA GIVCO 138/10

Acute

Dermal

LD50	Rat	> 5000 mg/kg ATE
------	-----	------------------

Oral

LD50	Rat	4996 mg/kg ATE
------	-----	----------------

Components	Species	Test Results
------------	---------	--------------

BENZYL ACETATE (CAS 140-11-4)

Acute

Dermal

LD50	Rabbit	> 5000 mg/kg
------	--------	--------------

BENZYL ALCOHOL (CAS 100-51-6)

Acute

Inhalation

LC50	Rat	11 mg/l, 8 Hours
------	-----	------------------

C13-14 ISOPARAFFIN (CAS 64742-47-8)

Acute

Dermal

LD50	Rabbit	> 2000 mg/kg
------	--------	--------------

Inhalation

LC50	Rat	> 5.2 mg/l, 4 hours
------	-----	---------------------

Oral

LD50	Rat	> 5000 mg/kg
------	-----	--------------

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 8 of 14

Version # 01

Print Date: 08-08-2018

Components	Species	Test Results
HEXYL SALICYLATE (CAS 6259-76-3)		
Acute		
Dermal		
	Rabbit	> 5000 mg/kg
Oral		
	Rat	> 5000 mg/kg
INDOLE (CAS 120-72-9)		
Acute		
Dermal		
LD50	Rabbit	790 mg/kg
Oral		
LD50	Rat	1000 mg/kg
LINALOOL (CAS 78-70-6)		
Acute		
Oral		
LD50	Rat	2790 mg/kg
METHYL ANTHRANILATE (CAS 134-20-3)		
Acute		
Oral		
LD50	Rat	2910 mg/kg
Skin corrosion/irritation	Causes skin irritation. May cause skin irritation and/or dermatitis. May cause skin irritation in susceptible persons.	
Serious eye damage/eye irritation	Causes serious eye irritation. Vapours may cause irritation to the eyes, respiratory system and the skin.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction. Causes sensitisation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
IARC Monographs. Overall Evaluation of Carcinogenicity	Not listed.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	Not regulated.	
US. National Toxicology Program (NTP) Report on Carcinogens	Not listed.	

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 9 of 14

Version # 01

Print Date: 08-08-2018

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
BENZYL ACETATE (CAS 140-11-4)			
Aquatic			
Fish	LC50	Medaka, high-eyes (<i>Oryzias latipes</i>)	> 3.48 - < 4.6 mg/l, 96 hours
BENZYL ALCOHOL (CAS 100-51-6)			
Aquatic			
Crustacea	EC50	Daphnia magna	55 mg/l, 24 hours
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	10 mg/l, 96 hours
		Fathead minnow (<i>Pimephales promelas</i>)	460 mg/l, 96 hours
C13-14 ISOPARAFFIN (CAS 64742-47-8)			
Aquatic			
Crustacea	LC50	Crustacea	4720 mg/l, 48 hours
Fish	LC50	Pimephales promelas	> 10000 mg/l, 96 hours
HEXYL SALICYLATE (CAS 6259-76-3)			
Aquatic			
Acute			
Algae	EC50	Green algae (<i>Desmodesmus subspicatus</i>)	0.61 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	1.5 mg/l, 24 hours
LINALOOL (CAS 78-70-6)			
Other	EC10	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 hours
Aquatic			
Algae	EC50	Green algae (<i>Chlamydomonas variabilis</i>)	88.3 mg/l, 96 hours DIN 38412 Part 9 static. The details of the toxic effect related to the nominal concentration.

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 10 of 14

Version # 01

Print Date: 08-08-2018

Components		Species	Test Results
Crustacea	EC50	Daphnia magna	20 mg/l, 48 hours DIN 38412 Part 11 static. The details of the toxic effect related to the nominal concentration.
Fish	LC50	Ide, silver or golden orfe (Leuciscus idus)	> 22 - < 46 mg/l, 96 hours DIN 38412 Part 15 static. The details of the toxic effect related to the nominal concentration.
	LC50-R	Fish	27.8 mg/l, 96 hours
METHYL ANTHRANILATE (CAS 134-20-3)			
Aquatic			
Crustacea	EC50	Daphnia magna	18.2 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 7.98 - < 10.51 mg/l, 96 hours
	NOEC	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	5 mg/l, 96 hours

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation-ready)

LINALOOL

> 60 - < 70 %, Readily biodegradable (according to OECD criteria).

Result: OECD 301D; EEC 92/69, C4-E (aerobic)

Test Duration: 28 days

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

BENZYL ACETATE

1.96

BENZYL ALCOHOL

1.1

LINALOOL

2.97, (OECD Guideline 107)

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not established.

Waste from residues / unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 11 of 14

Version # 01

Print Date: 08-08-2018

14. TRANSPORT INFORMATION

ADN

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ALCOHOL, HEXYL SALICYLATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

ADR

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ALCOHOL, HEXYL SALICYLATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9

RID

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ALCOHOL, HEXYL SALICYLATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing Group	III
Environmental Hazards	Yes
Labels required	9
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (BENZYL ALCOHOL, HEXYL SALICYLATE)
Hazard class	Combustible Liquid
Packing group	III
Environmental hazards	
Marine pollutant	No
Packaging bulk	241

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number	3082
-----------	------

SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018


Page 12 of 14

Version # 01

Print Date: 08-08-2018

UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL ALCOHOL, HEXYL SALICYLATE)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.



SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 13 of 14

Version # 01

Print Date: 08-08-2018

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories

- Flammable (gases, aerosols, liquids, or solids)
- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	08-08-2018
Revision date	08-08-2018
Version #	01
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 0



SAFETY DATA SHEET

508472 SAMPAQUITA GIVCO 138/10

Revision Date: 08-08-2018

Page 14 of 14

Version # 01

Print Date: 08-08-2018

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.