

509199 VALERIAN ROOT OIL

 Revision Date: 11-16-2020
 Page 1 of 10

 Version # 02
 Print Date: 11-16-2020

1. IDENTIFICATION		
Product Description:	VALERIAN ROOT OIL	
CAS#	8008-88-6	
FEMA Number	3100	
Other means of identification Vigon Item #	509199	
Recommended use	Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.	
Recommended restrictions	For Manufacturing Use Only	
<u>Company</u>		24 Hour Emergency Response Information
Vigon International, Inc.		INFOTRAC (ACCT# 78928);
127 Airport Road		1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301		1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-630	0	
Web Site: www.vigon.com		
Manufacturer/Importer/Supplier/D Manufacturer	istributor information	
Company name Address	Vigon International, Inc. 127 Airport Road E. Stroudsburg, PA 18301 United States	
Telephone	For information call:	570-476-6300
Website	www.vigon.com	
E-mail	regulatory@vigon.com	
Emergency phone number	INFOTRAC 1-800-535-5053 1-352-323-3500	(ACCT# 78928); WITHIN THE U.S.A. OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 4
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Aspiration hazard	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020 Version # 02 Page 2 of 10 Print Date: 11-16-2020

Label elements



Signal word

Hazard statement	
H227	Combustible liquid.
H305	May be harmful if swallowed and enters airways.
H315	Causes skin irritation.
H315 + H320	Causes skin and eye irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 +	
P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use appropriate media to extinguish.
P391	Collect spillage.
Storage	
P403	Store in a well-ventilated place.
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity.



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020

Version # 02

Page 3 of 10 Print Date: 11-16-2020

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances			
Chemical name	Common name and synonyms	CAS number	%
VALERIAN OIL		8008-88-6	100
Additional components			
Chemical name	Common name and synonyms	CAS number	%
CARVENE	DIPENTENE (+)-P-MENTHA-1,8-DIENE (R)-(+)-Limonene (R)-4-Isopropenyl-1-methyl-1-cyclohexen e 1- methyl-4-prop-1-en-2-ylcyclohexene	5989-27-5	1 - 10
Composition comments	Other related CAS # 8057-49-6		
4. FIRST-AID MEASURES			
Inhalation	If breathing is difficult, remove to fresh air and ke For breathing difficulties, oxygen may be necess persist.	• •	-
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.		
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.		
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.		
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Indication of immediate medical attention and special treatment needed	Not available.		
General information	Ensure that medical personnel are aware of the protect themselves. Show this safety data sheet		•

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.



509199 VALERIAN ROOT OIL

Version # 02	Print Date: 11-16-2020
Revision Date: 11-16-2020	Page 4 of 10

Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.	
Methods and materials for containment and cleaning up	Collect and dispose of spillage as indicated in section 13 of the SDS.	
	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.	
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.	
7. HANDLING AND STORAGE		
Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store under refrigeration (35-50°F). Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes.



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020	Page 5 of 10
Version # 02	Print Date: 11-16-2020

Skin protection	
Hand protection	Chemical resistant gloves.
Other	Use of an impervious apron is recommended. Chemical resistant gloves.
Respiratory protection	Respiratory protection not required. Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet	
Physical state	Liquid.	
Form	Liquid.	
Color	Refer to Spec Sheet	
Odor	Characteristic.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	167.0 °F (75.0 °C) Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	



509199 VALERIAN ROOT OIL

 Revision Date: 11-16-2020
 Page 6 of 10

 Version # 02
 Print Date: 11-16-2020

Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	938.30 kg/m3 at 20 °C
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

information on likely routes of e	xposule		
Inhalation	Knowledge about health haza	ard is incomplete.	
Skin contact	Causes skin irritation. May ca	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Causes serious eye irritation.	Causes serious eye irritation.	
Ingestion	Droplets of the product aspira chemical pneumonia.	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.	
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	May be harmful if swallowed and enters airways. Not known.		
Product	Species Test Results		
VALERIAN ROOT OIL (CAS 80	08-88-6)		
Acute			
Oral			
LD50	Rat	15000 mg/kg	
Additional components	Species	Test Results	
CARVENE (CAS 5989-27-5)			
Acute			
Oral			
LD50	Rat	4400 mg/kg	



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020	Page 7 of 10	
Version # 02	Print Date: 11-16-2020	
Skin corrosion/irritation	Causes skin irritation. May cause skin irritation in susceptible persons.	
Serious eye damage/eye irritation	Causes serious eye irritation. Vapours may cause irritation to the eyes, respiratory system and the skin.	
Respiratory or skin sensitization		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction. Causes sensitization.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
CARVENE (CAS 5989-	27-5) 3 Not classifiable as to carcinogenicity to humans.	
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)	
Not listed.		
	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	May be harmful if swallowed and enters airways. Knowledge about health hazard is incomplete.	
12. ECOLOGICAL INFOR	MATION	
Ecotoxicity	Toxic to aquatic life with long lasting effects.	

Ecotoxicity	I OXIC to ac	uatic life with long lasting effects.	
Additional components		Species	Test Results
CARVENE (CAS 5989-27-	5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 0.619 - < 0.796 mg/l, 96 hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	35 mg/l, 4 days
Other	EC50	Activated Sludge	3.94 mg/l
Persistence and degradability Bioaccumulative potential	No data is No data av	available on the degradability of this substance ailable	ce.
Mobility in soil	No data available.		
Other adverse effects		dverse environmental effects (e.g. ozone deplendocrine disruption, global warming potential)	•



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020 Version # 02 Page 8 of 10 Print Date: 11-16-2020

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

UN number	NA1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (VALERIAN OIL)
Hazard class	Combustible liq
Packing group	111
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging bulk	241
Labels required	None
-	

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020 Version # 02 Page 9 of 10 Print Date: 11-16-2020

	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substan	ce List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency release	e notification
Not regulated.	
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1053)
Not listed.	
Superfund Amendments and Reau SARA 302 Extremely hazardo Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard	Flammable (gases, aerosols, liquids, or solids)
categories	Skin corrosion or irritation
	Serious eye damage or eye irritation
	Respiratory or skin sensitization
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section 1	12 Hazardous Air Pollutants (HAPs) List
Not regulated.	
•	12(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
16. OTHER INFORMATION	I, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-16-2020
Revision date	11-16-2020
Version #	02
HMIS® ratings	Health: 2* Flammability: 2 Physical hazard: 0



509199 VALERIAN ROOT OIL

Revision Date: 11-16-2020	Page 10 of 10
Version # 02	Print Date: 11-16-2020

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.